

XCA1600 全地面起重机 / All Terrain Crane

技术规格书

Technical specifications



1600t



92.4m




155m



2022年08月 第7版
7th edition, Aug. 2022


尺寸参数
Dimensions



	A	B	C	D	E	R2	R3	H
445/95 R 25 (16.00 R 25)	14°	17°	2031	4000	3000	16700	15000	269

*该状态为悬挂最低位状态，悬挂可提升300mm
Suspensions at lowest position, raising of 300 mm is possible.


尺寸参数
Dimensions



	A	B	C	D	E	R1	H*
445/95 R 25 (16.00 R 25)	14°	17°	2031	10120	4190	17980	419

*中位状态，悬架可升降150mm
Suspensions at middle position, raising or lowering of 150 mm is possible.

尺寸参数
Dimensions



	A	B	C	D	E	R1	H*
445/95 R 25 (16.00 R 25)	17°	20°	2031	5655	4040	16950	419

*中位状态，悬架可升降150mm
Suspensions at middle position, raising or lowering of 150 mm is possible.

技术规格

Technical specifications



底盘

车架	徐工设计、制造，高强度钢材制造，具有可拆卸功能的箱型支腿结构。
支腿	4支腿，X形布置，采用双级水平支腿，侧摆、水平伸缩和垂直伸缩由液压控制。支腿油缸均设有单向阀，且垂直支腿带有双向液压锁；同时具有四个辅助支腿，用于车辆维修；底盘两侧装有电控操纵控制台，控制台板装有夜光水平仪、照明灯和增速按钮。
发动机	潍柴发动机 WP15H660E61 额定功率 485kW/1800rpm 最大扭矩3200Nm/900-1400rpm。国六排放标准。 燃油箱容积：600L。
液压系统	散热油泵通过传动轴与发动机前取力口相连，转向、悬挂、支腿公用一柱塞变量泵，与发动机后取力口相连。
变速箱	德国ZF原装进口电控变速箱，手动MT和自动AT操纵、带变矩器、缓速制动，12个前进档，2个倒档。
车桥	德国KESSLER高强度车桥，配备气控盘式制动器。八桥驱动（两桥液压驱动）：18×16×18。
悬挂	所有车桥均采用油气悬挂系统，减震效果好，具有自动调平、悬架升降、弹性刚性转换等功能。 悬架油缸行程：-130mm～+170mm。

轮胎	进口高承载米其林轮胎。 轮胎规格：445/95R25（16.00R25）
制动	行车制动：双回路气压制动，作用于所有车轮。 驻车制动：弹簧贮能制动，作用于2-7及9轴车轮。 辅助制动：发动机制动，变速箱缓速制动。
驾驶室	新型钢结构豪华全宽驾驶室，采用悬浮式连接结构，后部装有减震器。配备电动升降器的安全玻璃、可调式座椅、电动调节后视镜、可调节高度及角度方向盘，倒车显示器、大屏幕彩色液晶显示器等。新型组合式中控台布局安全合理，采用圆弧造型，体现人性化的设计。 标配CD音响、冷暖空调。
电气系统	直流24伏特，2个12伏电池组串联。

技术规格

Technical specifications



上车

结构	徐工设计、制造，高强度钢材制造。
液压系统	电比例变量泵用于起升、回转，闭式泵用于变幅、伸缩；主阀通过插装阀芯的逻辑控制，实现伸缩、变幅等动作；大功率风冷式液压油冷却器，有效降低系统油温。
操纵方式	先导电液比例操纵，无级调速，由左右2个操纵手柄控制起重机的全部动作。
主起升机构	由液压马达驱动，内置行星齿轮减速器和常闭式制动器。专用防乱绳卷筒，抗缠绕钢丝绳。
发动机	OM460LA.E3A/4，直列六缸、水冷却、增压中冷、柴油发动机，戴姆勒制造，额定功率295kw/1800rpm，最大扭矩1900N.m/1300rpm，国III排放标准。 燃油箱容积：415L。
回转机构	三排滚柱外齿式回转支承，双回转机构，由液压马达驱动，内置行星齿轮减速器和常闭式制动器，可连续回转360°，具有动力控制或自由回转的功能，可无级调速。
操纵室	按人机工程学设计，安全舒适，装有安全玻璃和顶部保护栏；前窗及上窗装有遮阳板推拉式车门，配有带防护栏杆的走台板，方便上下操作室；通过摆臂安装在转台上，可围绕转台上的摆臂安装点前后及上下旋转，方便人员出入，并能绕后铰点向后旋转，扩大视野。

安全装置	液压平衡阀、液压溢流阀、液压双向锁、力矩限制器；三圈保护器，防止钢丝绳过放；臂头设置高度限位，防止钢丝绳过卷；风速仪，检测高空风速。		
电气系统	直流24伏特，2个12伏电池组串联。		
力矩限制器	当实际力矩接近过载时，发出听视觉警报，并在过载之前自动停止危险动作。具有超载记忆功能（黑匣子）和故障自诊断功能。		
组合配重	平衡重A：27.5t 平衡重B：10t 平衡重C：7.5t		
吊钩	240t钩		
主臂	7节，“U”形截面的筒形焊接结构。采用2缸销伸缩油缸，新型缸销同步驱动机构，确保双缸销同步性，单缸插销伸缩系统更加安全可靠，有46%、92%和全伸模式可供选择。主臂长度：18.4m～92.4m。		
超起	Y型，安装在基本臂端部，4倍率超起钢丝绳设计。		
风电臂	风电臂：27.5m、39.5m和51.5m，其中27.5m可自动折叠。		
变幅副臂	桁架式焊接结构，	安装组件	
	具有70°、78°、	12m加长节	
	86°三种主臂仰角。	过渡节总成	
	变幅副臂：	6m加长节	
	18m～84m。	臂头	
变副卷扬机构	包括变幅滑轮组，用于变幅副臂的变幅。		

车型与选装件

Version and optional equipment

车型	功能描述	选择
标准型	主臂+超起+风电臂配置：七节主臂92.4m，风电臂51.5m，195吨平衡重	
全工况型	主臂+超起+风电臂+变幅副臂配置：七节主臂92.4m，风电臂51.5m，变幅副臂84m，235吨平衡重	

可选装件		选择
吊钩	360吨钩	
	150吨钩	
	55吨钩	
无线遥控		
注释：可选装件为通用可选，两种车型都可选择。 可选的轮胎在备件销售部购买，不在购买车型上装配。		

重量 Weight



	1	2	3	4	5	6	7	8	9	总重量 Total weight
t	8	8	8	8	12	12	12	12	12	92t ⁽¹⁾
t	17.7	17.7	17.7	17.7	25	25	25	25	25	196t ⁽²⁾
t	23.8	23.8	23.8	23.8	29.3	29.3	29.3	29.3	29.3	242t ⁽³⁾
t	29.5	29.5	29.5	29.5	30	30	30	30	30	268t ⁽⁴⁾

(1)92t: 上车不带起重吊钩、起重臂、超起装置、变幅缸、伸缩缸、风电臂、变幅副臂、平衡重、平衡重固定装置、吊臂附件、安装与运输附件、随机备件；下车拆除全部活动支腿、配重支架、携带吊钩

Configuration of 92 t: for the superstructure, hook block, boom, super lifting device, luffing cylinder, telescoping cylinder, wind power jib, luffing jib, counterweight, counterweight fixture, boom accessories, installation and transportation accessories and supplied spare parts are not on board; for the chassis, all removable outriggers and counterweight support are removed, while hook block is carried on the chassis.

(2)196t: 92t状态+ 起重臂 (含变幅缸和伸缩缸)、前支腿；下车拆除吊钩

Configuration of 196 t: 92 t basic configuration + boom (including luffing cylinder and telescoping cylinder), front outriggers; hook block is removed from chassis.

(3)242t: 92t状态+ 起重臂 (含变幅缸和伸缩缸)、超起、前支腿、后支腿；下车拆除吊钩

Configuration of 242 t: 92 t basic configuration +boom (including luffing cylinder and telescoping cylinder), super lifting device, front and rear outriggers; hook block is removed from chassis.

(4)268t: 92t状态+ 起重臂 (含变幅缸和伸缩缸)、超起、27.5m风电臂、前支腿、后支腿；下车拆除吊钩

Configuration of 268 t: 92 t basic configuration +boom (including luffing cylinder and telescoping cylinder), super lifting device, 27.5 m wind power jib, front and rear outriggers; hook block is removed from chassis.



	倍率 Parts of line	吊钩重量 Weight (kg)	吊钩尺寸 Dimensions (mm)
360 t	20	5700	750×1460×2830
240 t	15	5900	750×1300×2450
150 t	9	5600	750×1220×2160
55 t	3	2500	750×760×1900

作业速度

Working speeds



445/95 R 25 (16.00 R 25)



2 ~ 80





60%



	作业速度 Working speeds	最大单绳拉力 Max. single line pull	钢丝绳直径/长度 Rope diameter/ length
	0-125 m/min, 单绳, 空载, 第十层 m/min, single line, 10th layer	184 kN	28 mm/1250 m
	0-0.5 r/min		
	从-0.5°抬起至86°约240s Approx. 240 s for boom elevation from -0.5° to 86°		
	从18.4m伸出至92.4m约3000s Approx. 3000 s for boom extension from 18.4 m to 92.4 m		

平衡重 Counterweight




平衡重 Counterweight	A	B	C
尺寸 (长×宽×高) m Size (L×W×H) m	7.81×2.62×2.25	2.35×2.55×0.39	1.62×1.2×0.96
重量 t Weight (t)	27.5	10	7.5

工况模式 Working mode	235t	215t	195 t	175 t	155 t	135 t	115 t	95 t	75 t	55 t	35 t
组合形式 Combinations	A+C+ B×20	A+C+ B×18	A+C+ B×16	A+C+ B×14	A+C+ B×12	A+C+ B×10	A+C+ B×8	A+C+ B×6	A+C+ B×4	A+C+ B×2	A+C


运输部件尺寸

Dimensions of parts to be transported


基本臂、伸缩缸、多级缸 33.6 t
Base boom, telescoping cylinder and multi-stage cylinder



2、3、4节臂 31 t
2nd to 4th boom sections





5-7节臂 27.8 t
5th to 7th boom sections





运输部件尺寸

Dimensions of parts to be transported



变幅缸 7 t
Luffing cylinder





超起装置 34 t
Super lifting device



后支腿 7.3 t
Rear outrigger




支脚盘 0.28 t
Outrigger float




运输部件尺寸

Dimensions of parts to be transported



前支腿 7.8 t
Front outrigger




支脚盘 0.45 t
Outrigger float




配重支架 1.7 t
Counterweight support



支脚垫板 3.731 t
Outrigger pad




连接架、加长节 5.4 t
Connecting bracket and extension




运输部件尺寸

Dimensions of parts to be transported


平衡重底座 35 t
Counterweight base




风电臂头 5.4 t
Wind power jib head




过渡节 2.2 t
Transition section



翼式连接架 11.6 t
Wing-type connecting bracket




大小加长节 4.7/4.3 t
Extensions




运输部件尺寸

Dimensions of parts to be transported


6m加长节 2个组合总重 6.7 t
Two 6 m extensions, 6.7 t in total



12m加长节 2个组合总重 12.3 t
Two 12 m extensions, 12.3 t in total




变幅卷扬 12.15 t
Winch for luffing jib




运输部件尺寸

Dimensions of parts to be transported

安装组件 22.1 t
Installation assembly











臂头 2.7 t
Head section






臂架组合方案

Boom / Jib combinations

风电臂 - 27.5m W - 27.5m	
风电臂 - 39.5m W - 39.5m	
风电臂 - 51.5m W - 51.5m	
变幅副臂 - 48m N - 48m	
变幅副臂 - 54m N - 54m	
变幅副臂 - 60m N - 60m	
变幅副臂 - 66m N - 66m	
变幅副臂 - 72m N - 72m	
变幅副臂 - 78m N - 78m	
变幅副臂 - 84m N - 84m	


臂架组合方案

Boom / Jib combinations

部件 Component	结构形式 Structure	尺寸 (长×宽×高) mm Size (L×W×H) mm	重量 kg Weight kg
风电臂头 Wind power jib head		9150×1900×3540	5400
连接架总成 Connecting bracket assembly		5800×2200×3000	5400
加长节总成 I Extension assembly I		12120×2320×2440	4700
加长节总成 II Extension assembly II		12120×1800×1810	4300
翼型连接架 Wing-type connecting bracket		9400×2900×3250	11600
安装组件 Installation assembly		14996×2962×4143	22146
过渡节总成 Transition section		2000×2450×2100/ 5230×2250×2320	1883/2200
6m加长节 6 m extension		6000×2000×1600/ 6000×2450×2100	3200/3500
12m加长节 12 m extension		12000×2000×1600/ 12000×2450×2100	5900/6400
臂头 Head section		1600×2300×3300	2700

臂架组合方案

Boom / Jib combinations



超起风电臂
Super lifting device + wind power jib

T:63.8~86.5 m
W:27.5 m

超起风电臂
Super lifting device + wind power jib


T:63.8~86.5 m
W:39.5 m

超起风电臂
Super lifting device + wind power jib

T:63.8~86.5 m
W:51.5 m


臂架组合方案

Boom / Jib combinations




主臂
Boom

T:18.4m~92.4 m



超起+主臂
Super lifting device+ boom

T:35.4m~92.4 m




超起+变幅副臂
Super lifting device + Luffing jib

T:29m~51.7 m
N:48m~84m
V:21 m

起升高度曲线图 Lifting heights



超起风电臂 Super lifting device + wind power jib



起重性能表

Lifting capacities

T 41.1~63.8m

								
	41.1	46.8	52.4	58.1	63.8	63.8	63.8	
8	168.4	170.5						8
9	165.8	169.9	171.5	176.2				9
10	165.8	165.8	171.5	176.2	178.4	178.4	178.4	10
12	161.7	161.7	167.3	171.9	178.4	178.4	178.4	12
14	153.3	155.9	161.3	165.7	172.0	172.9	171.0	14
16	143.5	147.7	152.8	152.1	153.9	154.9	153.0	16
18	141.0	139.9	139.1	136.6	138.2	139.7	136.8	18
20	127.5	125.8	125.0	123.3	124.0	125.4	122.6	20
22	114.3	112.6	111.8	109.4	110.7	112.1	109.3	22
24	102.1	100.5	100.5	98.1	99.3	100.7	97.9	24
26	92.0	91.2	91.2	89.7	86.3	88.2	85.9	26
28	83.6	82.1	82.8	81.3	77.6	79.8	77.5	28
30	76.0	75.2	75.2	73.7	70.6	73.0	69.9	30
32	69.9	68.4	69.2	67.6	63.7	66.1	63.8	32
34	63.8	63.1	63.1	61.6	58.3	60.8	57.8	34
36	58.5	57.8	58.5	56.2	52.9	55.5	52.4	36
38	54.0	53.2	54.0	52.4	48.3	50.9	48.6	38
40	50.2	49.4	49.4	47.9	44.3	47.1	44.1	40
42	42.7	42.0	42.0	40.6	37.2	39.9	36.6	42
44	41.6	40.2	40.9	39.1	34.8	37.7	33.9	44
46	37.6	36.4	37.0	34.8	30.4	33.4	29.7	46
48	33.1	32.0	32.6	30.5	26.2	29.1	25.6	48
50	30.0	28.9	29.5	27.4	23.0	26.1	22.5	50
52	27.2	26.1	26.7	24.6	20.1	23.3	19.8	52
54	22.8	21.8	22.4	20.5	16.1	19.3	16.0	54
56	20.5	19.6	20.2	18.3	13.6	17.1	13.8	56
58	18.4	17.5	18.1	16.3	12.0	15.1	11.8	58
60	16.4	15.5	16.2	14.4	10.5	13.2	10.0	60
62		13.7	14.4	12.6	9.1	11.4		62
64		12.0	12.8	11.0		9.8		64
66		10.4	11.2	9.4				66
68			9.7					68
吊钩Hook	240t							吊钩Hook
倍率n	11	11	11	11	11	11	11	倍率n
组合Code	000022	000221	000222	002221	002222	111122	221111	组合Code
风速Wind speed	9m/s							风速Wind speed

起重性能表

Lifting capacities

T 69.5~86.5m


	69.5-86.5m		27.5m	SL	13×13m	360°	195t		
	69.5	69.5	75.1	75.1	80.8	80.8	83.8	86.5	
10	178.4	178.4							10
12	178.4	178.4	178.4	178.4	170.0	170.0	164.7	159.4	12
14	172.0	170.1	170.1	168.2	169.1	167.2	155.7	144.2	14
16	153.9	151.1	153.0	150.1	151.1	150.1	139.7	129.2	16
18	138.7	135.9	137.8	135.9	135.9	134.9	124.8	114.7	18
20	124.5	121.6	123.5	120.7	121.6	119.7	110.7	101.7	20
22	111.2	108.3	110.2	107.4	109.3	107.4	95.2	92.5	22
24	100.7	96.9	98.8	96.0	97.9	96.0	89.0	87.9	24
26	88.2	85.1	87.4	85.1	86.6	85.9	74.0	85.9	26
28	79.8	76.8	79.0	76.8	78.3	77.5	66.8	77.5	28
30	72.2	69.9	72.2	69.9	71.4	69.9	60.6	70.7	30
32	66.1	63.1	65.4	63.1	64.6	63.8	55.0	63.8	32
34	60.8	57.8	60.0	57.8	59.3	57.8	50.1	58.5	34
36	55.5	52.4	54.7	52.4	54.0	52.4	45.5	53.2	36
38	50.9	47.9	50.2	47.9	49.4	47.9	41.6	48.6	38
40	47.1	44.1	46.4	44.1	45.6	44.1	38.3	44.8	40
42	39.9	36.2	39.2	36.3	38.5	36.6	31.8	37.2	42
44	37.5	33.5	36.9	33.6	35.9	34.0	29.5	34.6	44
46	33.2	29.3	32.6	29.4	31.7	29.7	25.9	30.3	46
48	29.0	25.2	28.4	25.3	27.5	25.6	22.3	26.2	48
50	25.9	22.2	25.4	22.2	24.5	22.6	19.7	23.2	50
52	23.2	19.4	22.6	19.5	21.7	19.9	17.4	20.5	52
54	19.2	15.7	18.6	15.8	17.8	16.1	14.1	16.7	54
56	17.0	13.5	16.5	13.6	15.7	14.0	12.3	14.5	56
58	15.0	11.5	14.5	11.6	13.7	12.0	10.5	12.5	58
60	13.1	9.7	12.6	9.8	11.8	10.1	9.0	10.7	60
62	11.4		10.9		10.1				62
64	9.7		9.3						64
吊钩Hook	240t								吊钩Hook
倍率n	11	11	11	11	10	10	10	10	倍率n
组合Code	111222	222111	112222	222211	122222	222221	333221	222222	组合Code
风速Wind speed	9m/s								风速Wind speed

起升高度曲线图

Lifting heights

超起风电臂

Super lifting device + wind power jib



起重性能表

Lifting capacities

T 41.1~63.8m

	41.1-63.8m		39.5m	SL	13×13m	360°	195t	
	41.1	46.8	52.4	58.1	63.8	63.8	63.8	
8	160.5	160.5						8
9	160.2	160.5	160.5	160.5				9
10	156.3	160.5	160.5	160.5	162.1	161.6	162.6	10
12	156.3	160.5	160.5	160.5	162.1	161.6	162.6	12
14	151.6	155.9	155.9	159.0	161.1	162.0	160.2	14
16	149.3	153.5	153.5	152.9	153.0	153.9	152.0	16
18	141.0	139.9	137.7	136.0	136.8	137.8	135.9	18
20	128.4	126.9	125.0	123.4	124.0	125.4	122.6	20
22	114.8	113.2	112.7	110.2	110.7	112.1	109.3	22
24	103.4	101.8	101.4	98.9	99.3	100.7	97.9	24
26	93.5	92.0	92.0	89.5	89.8	91.2	88.4	26
28	85.1	83.6	82.5	81.0	78.6	77.4	75.2	28
30	77.5	76.0	75.0	73.5	71.7	70.8	67.9	30
32	70.7	69.9	69.0	67.5	64.8	64.2	62.1	32
34	65.4	63.8	63.0	61.5	59.4	59.1	56.9	34
36	60.0	59.3	58.5	57.0	54.0	54.0	51.8	36
38	52.6	51.8	51.1	49.7	48.1	47.6	45.5	38
40	49.0	47.5	46.9	45.4	44.3	44.1	41.3	40
42	45.4	43.9	43.7	41.9	40.5	40.6	38.5	42
44	41.8	41.0	40.5	39.1	36.7	37.1	34.4	44
46	40.5	39.8	39.8	37.9	33.6	36.2	32.9	46
48	36.4	35.0	34.6	32.4	28.3	30.9	27.7	48
50	33.2	31.8	31.5	29.3	25.1	27.8	24.6	50
52	30.3	28.9	28.6	26.5	22.2	25.0	21.8	52
54	24.9	23.6	23.4	21.5	17.5	20.2	17.3	54
56	22.7	21.4	21.2	19.3	15.2	18.0	15.2	56
58	20.6	19.4	19.2	17.3	12.9	16.0	13.2	58
60	18.7	17.4	17.3	15.5	10.7	14.1	11.3	60
62	16.9	15.7	15.6	13.7	9.0	12.4	9.6	62
64	15.2	14.0	13.8	11.9		10.6		64
66	13.6	12.4	12.3	10.4		9.2		66
68	12.1	11.0	10.8	9.0				68
70	10.7	9.6	9.5					70
72	9.3							72
吊钩Hook	240t							吊钩Hook
倍率n	10	10	10	10	10	10	10	倍率n
组合Code	000022	000221	000222	002221	002222	111122	221111	组合Code
风速Wind speed	9m/s							风速Wind speed

起重性能表

Lifting capacities

T 69.5~86.5m


	69.5-86.5m		39.5m	SL	13×13m	360°	195t		
	69.5	69.5	75.1	75.1	80.8	80.8	83.8	86.5	
12	162.6	163.0							12
14	161.1	161.0	170.0	161.0					14
16	152.0	150.1	156.0	150.5	155.0	155.0	152.5	150.0	16
18	136.8	134.9	153.0	134.0	145.0	133.0	136.5	145.0	18
20	123.5	120.7	141.0	119.7	138.0	118.8	128.4	138.0	20
22	111.2	108.3	118.0	107.4	120.0	106.4	121.2	136.0	22
24	99.8	96.9	105.0	96.0	105.0	96.0	102.0	108.0	24
26	90.3	87.4	89.3	86.5	87.4	86.5	86.5	86.5	26
28	77.4	77.0	80.2	76.7	78.8	76.7	76.9	77.1	28
30	70.1	67.9	69.9	66.4	68.5	66.4	66.6	66.8	30
32	64.2	61.3	63.5	61.3	62.8	61.3	61.3	61.3	32
34	58.4	56.2	57.7	56.2	56.9	56.2	56.2	56.2	34
36	54.0	51.1	53.3	51.1	52.6	51.1	51.1	51.1	36
38	47.6	44.8	46.9	44.8	46.2	44.8	44.8	44.8	38
40	43.4	41.3	42.7	41.3	42.0	41.3	41.3	41.3	40
42	39.9	37.8	39.9	37.6	38.5	37.7	28.7	37.8	42
44	37.1	33.7	36.4	33.5	35.3	33.6	25.7	33.9	44
46	35.8	32.2	35.0	32.0	33.9	32.1	24.5	32.4	46
48	30.5	27.1	29.8	26.9	28.7	27.0	20.6	27.3	48
50	27.4	24.0	26.7	23.8	25.6	23.9	18.3	24.2	50
52	24.6	21.2	23.8	21.0	22.8	21.1	14.5	21.4	52
54	19.8	16.8	19.2	16.6	18.2	16.7	11.5	17.0	54
56	17.7	14.6	17.0	14.5	16.1	14.6	10.0	14.9	56
58	15.7	12.7	15.0	12.5	14.1	12.6	8.7	12.9	58
60	13.8	10.8	13.2	10.7	12.3	10.8	7.4	11.1	60
62	12.1	9.1	11.5	9.0	10.5	9.1	7.4	9.4	62
64	10.3		9.7						64
吊钩Hook	240t								吊钩Hook
倍率n	10	10	10	10	9	9	9	9	倍率n
组合Code	111222	222111	112222	222211	122222	222221	333221	222222	组合Code
风速Wind speed	9m/s								风速Wind speed

起升高度曲线图

Lifting heights

超起风电臂


Super lifting device + wind power jib



起重性能表

Lifting capacities



T 41.1~63.8m

								
	41.1	46.8	52.4	58.1	63.8	63.8	63.8	
9	138.2	138.2						9
10	138.2	138.2	138.2	138.2				10
12	138.1	138.2	138.2	138.2	129.0	136.0	135.6	12
14	134.4	135.1	138.2	138.2	128.0	136.0	135.6	14
16	130.4	130.4	134.6	134.6	126.0	135.2	133.5	16
18	115.5	117.0	120.8	120.8	121.6	122.4	120.7	18
20	115.1	116.3	119.2	120.0	120.0	121.9	120.0	20
22	114.0	112.5	112.5	111.0	110.2	110.8	107.9	22
24	102.7	100.5	101.1	99.6	98.1	98.5	96.6	24
26	92.8	90.8	91.3	89.8	88.3	88.7	86.8	26
28	84.5	82.5	83.0	81.5	80.0	79.6	77.7	28
30	77.0	75.8	75.5	74.0	73.2	74.6	70.9	30
32	70.9	69.0	69.4	67.9	66.4	67.9	64.2	32
34	64.9	63.8	63.4	61.9	61.1	62.7	58.9	34
36	60.4	58.5	58.9	57.4	55.9	57.6	53.6	36
38	51.8	50.4	50.4	49.0	47.6	49.3	45.5	38
40	47.6	46.9	46.2	44.8	44.1	46.0	42.0	40
42	44.1	43.4	42.7	41.3	40.6	42.2	38.5	42
44	41.3	39.9	39.9	38.5	37.1	38.4	35.0	44
46	39.5	37.1	37.1	35.7	34.3	34.5	31.5	46
48	35.7	34.3	34.3	32.4	30.9	30.8	28.1	48
50	32.9	31.6	31.5	29.4	27.8	27.4	25.0	50
52	28.2	26.7	26.6	24.6	23.2	22.6	20.6	52
54	25.7	24.3	24.2	22.2	20.8	20.0	18.2	54
56	23.5	22.1	22.0	20.0	18.6	17.6	16.0	56
58	21.4	20.0	19.9	17.9	16.5	15.3	14.0	58
60	19.5	18.1	18.0	16.0	14.6	13.3	12.1	60
62	17.7	16.3	16.2	14.3	12.9	11.3	10.3	62
64	16.0	14.6	14.6	12.6	11.2			64
66	14.4	13.1	13.0	11.1	9.7			66
68	13.0	11.6	11.5	9.6				68
70	11.6	10.3	10.2					70
72	10.3	9.0						72
吊钩Hook	150t							吊钩Hook
倍率n	10	10	10	10	10	10	10	倍率n
组合Code	000022	000221	000222	002221	002222	111122	221111	组合Code
风速Wind speed	9m/s							风速Wind speed

起重性能表


Lifting capacities

T 69.5~86.5m

	 69.5-86.5m		 51.5m	 SL	 13×13m	 360°	 195t		
	69.5	69.5	75.1	75.1	80.8	80.8	83.8	86.5	
14	136.0	134.6							14
16	134.3	132.6	132.6	130.9					16
18	120.7	119.0	119.9	118.2	125.0	125.0	125.0	120.0	18
20	116.2	116.2	108.0	107.2	107.1	105.4	107.0	106.9	20
22	109.4	106.5	103.3	98.6	98.0	98.0	98.0	98.0	22
24	98.1	95.3	94.2	88.7	95.0	95.0	95.0	95.0	24
26	88.3	85.5	84.7	79.5	80.0	82.1	82.3	82.5	26
28	80.0	77.3	76.7	71.8	72.8	74.1	74.3	74.5	28
30	72.5	69.8	69.4	65.5	65.8	66.8	67.0	67.2	30
32	66.4	63.0	63.5	59.1	59.5	61.0	61.2	61.3	32
34	60.4	57.8	57.7	54.2	54.6	55.2	55.7	56.2	34
36	55.1	52.5	51.8	49.3	49.7	50.9	51.0	51.1	36
38	46.9	44.8	43.9	42.6	45.5	46.5	46.6	46.7	38
40	43.4	41.3	40.6	38.6	42.0	42.1	42.2	42.3	40
42	39.9	37.8	37.2	35.9	38.5	39.0	39.2	39.4	42
44	37.1	34.4	34.3	32.3	32.9	33.4	33.9	34.5	44
46	33.7	30.7	30.0	27.7	29.4	29.7	30.2	30.7	46
48	30.3	27.3	26.9	24.6	26.3	26.4	26.9	27.3	48
50	27.2	24.2	24.1	21.8	23.4	23.7	24.0	24.2	50
52	22.7	19.9	19.5	19.2	20.8	20.9	21.2	21.4	52
54	20.3	17.5	17.4	16.9	16.8	16.6	14.0	13.8	54
56	18.1	15.3	15.2	14.7	16.3	16.5	13.5	13.1	56
58	16.0	13.3	13.1	12.7	12.7	12.6	12.5	12.3	58
60	14.2	11.4	11.3	10.9	11.8	11.7	11.5	11.5	60
62	12.4	9.6	9.7	9.2	9.2	9.2	8.7	8.5	62
64	10.8				9.0				64
66	9.2								66
吊钩Hook	150t								吊钩Hook
倍率n	10	10	10	10	9	9	9	9	倍率n
组合Code	111222	222111	112222	222211	122222	222221	333221	222222	组合Code
风速Wind speed	9m/s								风速Wind speed

Lifting heights


Super lifting device + boom



起重性能表

Lifting capacities

T 35.4~58.1m





	35.4m	35.4m	41.1m	41.1m	46.8m	46.8m	52.4m	52.4m	58.1m	58.1m	
5	265.0	265.0									5
6	265.0	265.0	265.0	265.0	265.0	265.0					6
7	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0			7
8	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0	8
9	265.0	265.0	265.0	265.0	265.0	264.1	264.1	261.3	258.4	255.6	9
10	256.5	254.6	252.7	249.9	248.0	245.1	246.1	243.2	240.4	238.5	10
12	224.2	221.4	221.4	218.5	217.6	213.8	215.7	212.8	210.9	209.0	12
14	197.6	195.7	195.7	192.9	191.9	189.1	191.0	188.1	187.2	184.3	14
16	175.8	173.9	174.8	171.0	172.0	168.2	171.0	168.2	167.2	165.3	16
18	158.7	154.9	156.8	153.0	154.9	150.1	154.9	151.1	151.1	148.2	18
20	139.7	136.8	138.7	134.9	136.8	133.0	137.8	134.0	134.9	131.1	20
22	124.5	121.6	124.5	120.7	122.6	117.8	123.5	119.7	120.7	116.9	22
24	111.2	108.3	111.2	107.4	110.2	105.5	111.2	107.4	108.3	104.5	24
26	100.7	96.9	100.7	96.9	98.8	95.0	100.7	96.9	97.9	95.0	26
28	90.3	87.4	91.2	87.4	90.3	85.5	92.2	87.4	89.3	85.5	28
30	81.3	76.6	82.7	78.9	81.7	77.0	83.6	79.8	81.7	77.9	30
32			74.3	68.8	75.1	68.8	77.0	73.2	75.1	71.3	32
34			65.5	60.1	66.4	60.2	70.3	65.6	68.4	64.6	34
36			57.7	52.3	58.9	52.7	63.6	58.1	62.3	57.3	36
38					52.2	46.1	57.0	51.5	55.8	50.8	38
40					46.2	40.1	51.1	45.7	50.0	45.0	40
42							45.8	40.5	44.8	39.9	42
44							41.1	35.8	40.1	35.3	44
46							36.8	31.5	35.9	31.1	46
48									32.1	27.2	48
50									28.5	23.7	50
52											52
54											54
56 吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	56 吊钩 Hook
倍率n	18	18	18	18	18	18	18	18	18	18	倍率n
组合 Code	000111	001110	001111	011110	011111	111110	011112	111111	111112	211111	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	风速 Wind speed

起重性能表

Lifting capacities

T 63.8~92.4m

											
	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
8	245.7	242.3									8
9	227.8	225.3	224.4	221.9							9
10	217.0	209.1	213.0	204.0	206.6	204.0	202.3	201.5			10
12	209.0	201.0	188.0	184.0	181.9	178.5	178.5	176.8	195.7	192.9	12
14	185.3	181.5	183.4	179.6	172.0	165.0	159.0	158.0	174.8	172.0	14
16	166.3	162.5	164.4	160.6	162.5	158.7	151.0	150.0	156.8	154.9	16
18	150.1	145.4	149.2	144.4	147.3	142.5	144.4	141.6	141.6	139.7	18
20	134.0	129.2	133.0	127.3	131.1	127.3	129.2	126.4	126.4	124.5	20
22	120.7	115.0	119.7	114.0	117.8	114.0	115.9	113.1	113.1	112.1	22
24	108.3	103.6	108.3	102.6	106.4	102.6	104.5	102.6	102.6	101.7	24
26	98.8	93.1	97.9	93.1	96.9	93.1	95.0	93.1	93.1	92.2	26
28	90.3	84.6	89.3	84.6	88.4	84.6	87.4	84.6	85.5	84.6	28
30	82.7	77.0	81.7	77.0	80.8	77.0	79.8	77.0	77.9	77.0	30
32	75.1	70.3	75.1	70.3	75.1	70.3	73.2	71.3	71.3	71.3	32
34	69.4	64.6	69.4	64.6	69.4	64.6	67.5	65.6	66.5	65.6	34
36	63.7	57.7	64.6	58.9	63.7	59.9	62.7	59.9	60.8	60.8	36
38	58.5	51.2	59.9	52.4	58.9	54.2	58.0	56.1	56.1	56.1	38
40	52.7	45.5	54.2	46.7	54.6	48.5	54.2	50.7	52.3	52.3	40
42	47.5	40.4	49.0	41.6	49.5	43.4	49.0	45.5	47.9	48.5	42
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	240t	240t	吊钩 Hook
倍率n	16	16	15	14	13	13	13	13	13	12	倍率n
组合 Code	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表 Lifting capacities

T 63.8~92.4m

			35.4-92.4m	SL	13×13m	360°	195t				
	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
44	42.9	35.8	44.4	37.0	44.8	38.8	44.4	41.0	43.3	43.9	44
46	38.7	31.6	40.2	32.9	40.7	34.7	40.3	36.8	39.2	39.8	46
48	34.9	27.9	36.4	29.1	36.9	31.0	36.5	33.1	35.4	34.1	48
50	31.4	24.4	33.0	25.7	33.5	27.6	33.1	29.7	32.0	29.2	50
52	28.2	21.2	29.8	22.6	30.3	24.5	30.0	26.6	28.9	26.5	52
54	25.2	18.3	26.9	19.7	27.4	21.6	27.1	23.7	26.1	23.9	54
56	22.5	15.6	24.2	17.0	24.8	18.9	24.5	21.1	23.4	21.6	56
58			21.7	14.6	22.3	16.5	22.0	18.7	21.0	19.4	58
60			19.4	12.2	20.0	14.2	19.7	16.4	18.7	17.4	60
62					17.9	12.1	17.6	14.3	16.6	15.5	62
64					15.8	10.1	15.6	12.3	14.7	13.7	64
66					13.9	8.2	13.8	10.5	11.1	10.9	66
68							12.0	8.7	9.5	9.5	68
70							10.4	7.1	8.1	8.2	70
72									6.4	7.0	72
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	240t	240t	吊钩 Hook
倍率n	16	16	15	14	13	13	13	13	13	12	倍率n
组合 Code	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表 Lifting capacities

T 35.4~58.1m

	35.4-92.4m SL 13×13m 360° 135t										
	35.4m	35.4m	41.1m	41.1m	46.8m	46.8m	52.4m	52.4m	58.1m	58.1m	
5	265.0	265.0									5
6	265.0	265.0	265.0	265.0	265.0	265.0					6
7	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0			7
8	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0	8
9	265.0	265.0	263.2	260.3	257.5	254.6	254.6	252.7	249.9	247.0	9
10	248.0	246.1	244.2	241.3	239.4	236.6	237.5	234.7	232.8	229.9	10
12	216.6	213.8	212.8	210.0	210.0	206.2	208.1	205.2	203.3	201.4	12
14	186.2	182.4	183.4	179.6	180.5	175.8	179.6	175.8	174.8	172.0	14
16	159.6	156.8	158.7	154.9	155.8	151.1	155.8	152.0	152.0	148.2	16
18	139.7	135.9	138.7	134.0	135.9	132.1	136.8	133.0	133.0	130.2	18
20	122.6	118.8	121.6	117.8	119.7	115.9	120.7	116.9	117.8	115.0	20
22	107.9	102.9	108.3	104.5	106.4	102.6	108.3	104.5	105.5	101.7	22
24	90.5	85.6	93.3	87.4	93.7	86.9	96.9	92.5	95.0	91.2	24
26	76.5	71.8	79.4	73.6	79.9	73.3	84.7	78.8	83.1	77.7	26
28	65.0	60.3	68.0	62.3	68.5	62.0	73.3	67.5	71.8	66.5	28
30	55.1	50.5	58.4	52.8	59.0	52.6	63.8	58.1	62.3	57.1	30
32			50.2	44.7	51.0	44.7	55.7	50.1	54.3	49.2	32
34			43.1	37.7	44.0	37.8	48.7	43.2	47.4	42.4	34
36			36.8	31.4	37.9	31.8	42.7	37.2	41.4	36.4	36
38					32.6	26.4	37.4	31.9	36.2	31.2	38
40					27.7	21.7	32.6	27.3	31.5	26.6	40
42							28.4	23.1	27.3	22.5	42
44							24.6	19.3	23.6	18.8	44
46							21.1	15.8	20.2	15.4	46
48									17.1	12.3	48
50									14.3	9.5	50
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	吊钩 Hook
倍率n	18	18	18	18	18	18	18	18	18	18	倍率n
组合 Code	000111	001110	001111	011110	011111	111110	011112	111111	111112	211111	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	风速 Wind speed

起重性能表

Lifting capacities

T 63.8~92.4m

	35.4-92.4m SL 13×13m 360° 135t										
	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
8	245.7	242.3									
9	227.8	225.3	224.4	221.9							9
10	217.0	209.1	213.0	204.0	206.6	204.0	202.3	201.5			10
12	201.4	197.6	188.0	184.0	181.9	178.5	178.5	176.8	188.1	185.3	12
14	173.9	169.1	172.0	166.3	169.1	165.0	159.0	158.0	162.5	159.6	14
16	151.1	146.3	149.2	144.4	147.3	143.5	144.4	142.5	141.6	139.7	16
18	133.0	128.3	132.1	126.4	130.2	125.4	127.3	125.4	124.5	122.6	18
20	117.8	113.1	116.9	112.1	115.0	111.2	113.1	111.2	111.2	109.3	20
22	105.5	100.7	104.5	99.8	103.6	99.8	101.7	98.8	99.8	97.9	22
24	95.0	90.3	94.1	89.3	93.1	89.3	91.2	89.3	89.3	88.4	24
26	85.5	78.0	85.5	79.2	84.6	80.8	82.7	80.8	80.8	80.8	26
28	74.5	66.8	76.1	68.0	76.4	69.9	75.9	72.1	74.1	73.2	28
30	65.1	57.5	66.6	58.6	66.9	60.5	66.4	62.7	65.1	65.8	30
32	57.0	49.5	58.5	50.7	58.9	52.5	58.4	54.7	57.1	57.8	32
34	50.1	42.7	51.6	43.9	52.0	45.7	51.5	47.9	50.3	50.9	34
36	44.1	36.8	45.6	38.0	46.0	39.8	45.6	42.0	44.3	45.0	36
38	38.9	31.6	40.4	32.8	40.8	34.6	40.3	36.8	39.1	39.8	38
40	34.2	27.0	35.7	28.2	36.2	30.1	35.7	32.2	34.5	35.2	40
42	30.1	22.9	31.6	24.2	32.0	26.0	31.6	28.1	30.5	31.1	42
44	26.3	19.3	27.9	20.5	28.3	22.3	27.9	24.5	26.8	27.4	44
46	23.0	15.9	24.5	17.2	25.0	19.0	24.6	21.2	23.5	24.1	46
48	19.9	12.9	21.5	14.2	22.0	16.0	21.6	18.2	20.5	21.1	48
50	17.1	10.2	18.7	11.5	19.2	13.3	18.9	15.5	17.8	18.4	50
52	14.6	7.6	16.2	8.9	16.7	10.8	16.4	13.0	15.3	15.9	52
54	12.2	5.2	13.8	6.6	14.4	8.5	14.1	10.7	13.0	13.7	54
56	9.9		11.7		12.2	6.4	11.9	8.6	10.9	11.5	56
58			9.7		10.2		10.0	6.6	8.9	9.6	58
60			7.8		8.4		8.1		7.1	7.8	60
62					6.7		6.4		5.4	6.1	62
64					5.0						64
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	240t	240t	吊钩 Hook
倍率n	16	16	15	14	13	13	13	13	12	12	倍率n
组合 Code	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表 Lifting capacities

T 35.4~58.1m

	35.4-92.4m SL 13×13m 360° 75t										
	35.4m	35.4m	41.1m	41.1m	46.8m	46.8m	52.4m	52.4m	58.1m	58.1m	
5	265.0	265.0									5
6	265.0	265.0	265.0	265.0	265.0	265.0					6
7	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0			7
8	265.0	265.0	265.0	265.0	265.0	265.0	265.0	263.2	259.4	257.5	8
9	257.5	254.6	252.7	248.9	247.0	243.2	244.2	240.4	237.5	234.7	9
10	231.8	229.0	228.0	224.2	223.3	218.5	221.4	217.6	215.7	211.9	10
12	191.0	188.1	189.1	185.3	185.3	180.5	184.3	180.5	179.6	175.8	12
14	161.5	157.7	159.6	155.8	156.8	152.0	156.8	153.0	153.0	149.2	14
16	138.0	132.2	136.8	133.0	134.9	130.2	134.9	131.1	132.1	128.3	16
18	107.3	101.8	110.0	103.4	110.2	102.6	115.5	108.7	113.6	107.4	18
20	85.3	80.1	88.0	81.7	88.3	81.0	93.3	86.9	91.5	85.7	20
22	68.7	63.6	71.4	65.3	71.7	64.8	76.7	70.5	75.0	69.3	22
24	55.7	50.8	58.4	52.5	58.9	52.1	63.7	57.7	62.1	56.6	24
26	45.2	40.4	48.0	42.3	48.5	41.9	53.3	47.4	51.7	46.4	26
28	36.4	31.7	39.5	33.8	40.0	33.5	44.8	39.0	43.3	38.0	28
30	29.0	24.3	32.3	26.7	32.9	26.5	37.6	31.9	36.2	31.0	30
32			26.1	20.6	26.8	20.5	31.5	25.9	30.2	25.1	32
34			20.7	15.2	21.6	15.4	26.3	20.8	25.0	19.9	34
36			15.9	10.5	17.0	10.9	21.8	16.3	20.5	15.5	36
38					13.0	6.8	17.8	12.3	16.6	11.6	38
40					9.3		14.2	8.8	13.1	8.1	40
42							11.0	5.6	9.9	5.0	42
44							8.1		7.1		44
46							5.4				46
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	吊钩 Hook
倍率n	18	18	18	18	18	18	18	18	17	17	倍率n
组合 Code	000111	001110	001111	011110	011111	111110	011112	111111	111112	211111	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	风速 Wind speed

起重性能表

Lifting capacities

T 63.8~92.4m

	35.4-92.4m SL 13×13m 360° 75t										
	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
8	245.7	242.3									
9	227.8	225.3	224.4	221.9							9
10	212.8	208.1	209.0	204.0	205.2	201.4	200.5	198.6			10
12	177.7	172.9	174.8	170.1	172.0	168.2	169.1	166.3	165.3	162.5	12
14	152.0	146.3	150.1	144.4	147.3	143.5	144.4	142.5	141.6	139.7	14
16	131.1	126.4	130.2	125.4	128.3	124.5	125.4	123.5	122.6	121.6	16
18	115.0	107.6	114.0	108.9	112.1	108.3	110.2	108.3	108.3	106.4	18
20	94.5	85.9	96.1	87.1	96.4	89.1	95.8	91.5	94.2	94.9	20
22	77.9	69.6	79.4	70.8	79.8	72.7	79.2	75.1	77.7	78.3	22
24	64.9	56.8	66.5	58.0	66.8	60.0	66.2	62.3	64.8	65.4	24
26	54.5	46.6	56.1	47.8	56.4	49.7	55.9	52.0	54.5	55.1	26
28	46.0	38.3	47.5	39.5	47.9	41.3	47.4	43.6	46.0	46.7	28
30	38.9	31.3	40.4	32.5	40.8	34.3	40.3	36.5	39.0	39.6	30
32	32.9	25.4	34.4	26.6	34.8	28.4	34.3	30.6	33.0	33.6	32
34	27.7	20.3	29.2	21.5	29.6	23.3	29.1	25.5	27.9	28.5	34
36	23.2	15.9	24.7	17.1	25.1	18.9	24.7	21.1	23.4	24.1	36
38	19.3	12.0	20.8	13.2	21.2	15.0	20.7	17.2	19.5	20.2	38
40	15.8	8.6	17.3	9.8	17.7	11.6	17.3	13.7	16.1	16.7	40
42	12.6	5.5	14.2	6.7	14.6	8.6	14.2	10.7	13.0	13.7	42
44	9.8		11.4	4.0	11.8	5.8	11.4	7.9	10.3	10.9	44
46	7.3		8.9		9.3		8.9	5.5	7.8	8.4	46
48	5.0		6.6		7.0		6.7		5.6	6.2	48
50					5.0						50
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	240t	240t	240t	吊钩 Hook
倍率n	16	16	15	14	13	13	13	13	11	10	倍率n
组合 Code	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 35.4~58.1m

	35.4-92.4m SL 13×13m 360° 35t										
	35.4m	35.4m	41.1m	41.1m	46.8m	46.8m	52.4m	52.4m	58.1m	58.1m	
5	265.0	265.0									5
6	265.0	265.0	265.0	265.0	265.0	265.0					6
7	265.0	265.0	265.0	265.0	265.0	265.0	265.0	265.0			7
8	263.2	259.4	257.5	253.7	250.8	247.0	248.0	244.2	241.3	237.5	8
9	233.7	230.9	229.9	226.1	224.2	220.4	222.3	218.5	215.7	212.8	9
10	210.0	207.1	206.2	202.4	202.4	197.6	200.5	196.7	194.8	191.9	10
12	172.9	169.1	170.1	166.3	167.2	162.5	166.3	162.5	162.5	158.7	12
14	131.5	125.2	134.4	126.7	134.5	125.7	140.5	132.7	137.8	131.0	14
16	96.1	90.3	98.9	91.9	99.1	91.0	104.6	97.4	102.5	96.0	16
18	72.4	67.0	75.1	68.5	75.4	67.8	80.6	73.9	78.7	72.5	18
20	55.4	50.2	58.1	51.8	58.4	51.1	63.5	57.0	61.7	55.8	20
22	42.5	37.5	45.2	39.2	45.6	38.6	50.5	44.3	48.8	43.2	22
24	32.4	27.5	35.2	29.3	35.6	28.8	40.5	34.4	38.9	33.3	24
26	24.3	19.5	27.1	21.3	27.6	21.0	32.4	26.5	30.8	25.4	26
28	17.4	12.7	20.4	14.8	21.0	14.5	25.7	20.0	24.3	19.0	28
30	11.5	6.9	14.8	9.2	15.5	9.1	20.2	14.5	18.8	13.6	30
32			10.0		10.8		15.5	9.8	14.1	9.0	32
34			5.7		6.7		11.4	5.8	10.1	5.0	34
36							7.8		6.6		36
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	吊钩 Hook
倍率n	18	18	18	18	18	18	18	18	16	16	倍率n
组合 Code	000111	001110	001111	011110	011111	111110	011112	111111	111112	211111	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	风速 Wind speed

起重性能表


Lifting capacities

T 63.8~92.4m

	35.4-92.4m SL 13×13m 360° 35t										
	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
8	237.5	232.8									
9	212.8	208.1	209.0	204.3							9
10	192.9	188.1	190.0	185.3	186.2	182.4	182.4	179.6			10
12	160.6	155.8	158.7	153.9	155.8	152.0	153.0	151.1	149.2	147.3	12
14	136.8	131.2	135.9	130.2	133.0	129.2	130.2	128.3	127.3	125.4	14
16	105.8	96.2	107.5	97.5	107.8	99.7	107.0	102.3	105.3	106.0	16
18	81.8	72.8	83.4	74.0	83.8	76.1	83.1	78.6	81.4	82.1	18
20	64.6	56.0	66.2	57.2	66.6	59.2	65.9	61.7	64.4	65.0	20
22	51.7	43.4	53.3	44.6	53.6	46.6	53.0	48.9	51.5	52.2	22
24	41.7	33.6	43.2	34.8	43.6	36.7	43.0	39.0	41.6	42.2	24
26	33.6	25.7	35.1	26.9	35.5	28.8	34.9	31.1	33.6	34.2	26
28	27.0	19.3	28.5	20.4	28.9	22.3	28.3	24.6	27.0	27.7	28
30	21.5	13.9	23.0	15.1	23.4	16.9	22.8	19.1	21.6	22.2	30
32	16.8	9.3	18.3	10.5	18.7	12.3	18.2	14.5	16.9	17.5	32
34	12.8	5.4	14.3	6.5	14.7	8.4	14.2	10.6	12.9	13.6	34
36	9.3		10.8		11.2	5.0	10.7	7.1	9.5	10.1	36
38	6.2		7.7		8.1		7.7		6.5	7.1	38
40			5.0		5.4		5.0				40
吊钩 Hook	360t	360t	360t	360t	240t	240t	240t	240t	240t	240t	吊钩 Hook
倍率n	16	15	14	13	12	12	12	11	9	9	倍率n
组合 Code	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起升高度曲线图 Lifting heights

主臂
Boom



起重性能表 Lifting capacities

T 18.4~52.4m

	18.4-92.4m 13×13m 360° 195t														
	18.4*	18.4m	24.1m	24.1m	29.7m	29.7m	35.4m	35.4m	41.1m	41.1m	46.8m	46.8m	52.4m	52.4m	
2	1600**														
2.5	320.0														
3	320.0	265.0													3
3.5	320.0	265.0	265.0	265.0											3.5
4	320.0	265.0	265.0	265.0	265.0	265.0									4
4.5	320.0	265.0	265.0	265.0	259.7	259.7	265.0	265.0							4.5
5	320.0	265.0	265.0	265.0	254.4	254.4	251.8	259.7	265.0	265.0					5
6	320.0	265.0	265.0	265.0	249.1	249.1	238.5	254.4	259.7	259.7	265.0	265.0			6
7	320.0	265.0	265.0	265.0	243.8	243.8	225.3	249.1	254.4	254.4	259.7	265.0	170.4	265.0	7
8	320.0	265.0	265.0	265.0	238.5	238.5	220.0	243.8	249.1	249.1	254.4	265.0	161.2	259.7	8
9	320.0	265.0	265.0	265.0	227.9	238.5	207.7	238.5	243.8	243.8	247.4	260.3	152.1	245.3	9
10	320.0	265.0	261.3	263.2	211.7	236.8	192.2	230.9	224.4	224.9	226.4	243.2	144.3	225.0	10
12	245.0	238.5	236.6	229.9	185.3	208.6	168.6	203.5	195.6	202.8	195.8	214.7	129.8	194.9	12
14	218.0	210.9	210.9	203.3	164.6	185.5	149.3	181.3	173.1	184.9	175.3	191.0	118.5	170.1	14
16	142.4	142.4	186.2	177.7	148.1	164.2	133.5	160.7	154.8	166.0	154.8	167.2	109.0	153.0	16
18			164.4	155.8	137.5	148.6	120.9	141.9	139.9	149.9	136.8	148.2	101.1	138.4	18
20			147.3	137.8	128.9	134.8	113.3	129.4	126.5	136.8	123.1	132.1	93.3	126.8	20
22					121.2	124.0	106.8	118.8	114.6	123.5	111.2	118.8	87.1	116.4	22
24					114.8	114.5	101.1	110.4	103.5	111.2	103.1	107.4	82.6	108.3	24
26					109.1	105.6	95.3	102.4	94.9	101.7	96.4	97.9	77.4	98.8	26
28							88.7	93.7	87.2	92.7	90.3	89.3	73.0	90.3	28
30							80.5	82.8	78.8	81.9	84.4	79.6	68.6	82.7	30
32									70.5	72.7	76.9	70.5	65.3	74.4	32
34									63.3	64.8	69.0	62.7	63.0	66.6	34
36									57.1	58.0	62.2	55.9	60.1	59.8	36
38											56.2	49.9	55.8	53.8	38
40											50.8	44.7	51.8	48.5	40
42													48.3	43.8	42
44													45.0	39.6	44
46													41.2	35.8	46
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	240t	360t	吊钩 Hook
倍率n	17	17	17	17	17	17	17	17	17	17	17	17	12	17	倍率n
组合 Code	000000	000000	000001	100000	000011	000110	000111	001110	001111	011110	011111	111110	011112	111111	组合 Code
风速 Wind speed	14.1m/s	14.1m/s	12.8m/s	12.8m/s	12.8m/s	12.8m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	风速 Wind speed

*正后方Over rear

**起重能力等级 Capacity class

起重性能表 Lifting capacities

T 58.1~92.4m

	18.4-92.4m 13×13m 360° 195t												
	58.1m	58.1m	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
8	163.9	164.7											8
9	155.3	150.6	126.4	139.9									9
10	147.6	136.8	120.5	131.1	105.0	123.7							10
12	134.7	117.1	109.4	116.2	95.3	110.4	89.4	110.3	85.4	91.9			12
14	123.5	101.7	100.6	103.2	86.5	99.1	81.5	97.9	79.4	84.0	76.3	58.3	14
16	114.1	88.4	91.5	93.3	79.4	89.0	75.4	86.7	73.5	76.4	70.0	56.5	16
18	106.1	79.8	84.2	84.0	73.3	79.7	68.6	77.2	68.4	70.4	64.4	54.0	18
20	98.9	72.7	78.3	75.3	68.0	71.5	63.5	68.9	63.3	63.5	59.3	50.6	20
22	92.5	66.3	72.6	67.5	63.5	64.4	58.4	61.9	58.6	57.1	54.2	47.9	22
24	87.0	60.5	68.3	61.4	59.2	58.1	54.2	56.9	53.8	52.1	49.3	44.1	24
26	82.3	55.9	64.0	55.6	54.7	52.8	51.0	52.1	49.6	47.7	45.2	41.0	26
28	79.7	53.3	59.9	51.1	51.2	48.0	47.7	48.0	45.2	43.9	41.9	38.1	28
30	76.8	50.9	56.6	46.7	48.9	43.6	44.3	44.9	40.6	40.5	38.5	35.6	30
32	73.9	48.6	53.3	43.2	45.7	40.5	41.2	40.8	37.0	37.2	35.5	33.6	32
34	68.3	46.7	50.4	40.4	43.4	37.7	39.0	38.5	35.9	34.9	33.1	31.7	34
36	62.8	45.0	48.2	37.6	41.2	35.2	36.8	35.0	34.7	32.7	30.9	29.7	36
38	56.8	42.5	45.9	35.1	38.9	33.3	34.5	32.6	33.4	30.9	29.3	27.8	38
40	51.6	39.1	43.7	33.7	36.7	30.5	32.8	29.8	31.9	28.9	28.0	26.2	40
42	46.9	36.1	41.4	31.9	35.5	28.5	31.1	27.5	29.0	27.0	26.1	24.7	42
吊钩 Hook	240t	240t	150t	240t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩 Hook
倍率n	12	13	9	11	7	9	6	7	6	6	5	5	倍率n
组合 Code	111112	211111	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表 Lifting capacities




T 58.1~92.4m

	18.4-92.4m 13×13m 360° 195t												
	58.1m	58.1m	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
44	42.7	33.2	39.8	29.0	33.4	26.6	29.4	25.6	28.3	26.0	24.6	23.7	44
46	38.9	30.6	36.6	26.5	32.0	25.2	28.0	24.1	26.0	23.7	23.1	22.0	46
48	35.4	27.5	33.5	24.1	30.0	22.9	26.6	22.6	24.3	22.0	22.2	20.7	48
50	32.3	24.7	30.7	21.6	28.8	20.6	25.0	21.3	22.1	20.9	20.7	19.5	50
52			28.1	19.3	27.7	19.7	23.7	19.4	20.6	19.5	19.7	18.3	52
54			25.7	17.3	26.4	18.7	22.6	17.6	19.5	18.5	18.3	17.1	54
56			23.5	15.3	24.2	17.7	22.0	16.0	18.5	16.8	17.3	16.5	56
58					22.2	16.6	20.8	14.5	17.4	15.2	16.3	15.5	58
60					20.4	11.5	19.7	13.3	16.6	13.6	15.0	14.5	60
62							18.5	12.0	15.7	12.2	13.6	13.4	62
64							16.9	10.3	14.3	10.9	12.3	12.5	64
66							15.4	9.0	13.0	9.6	11.3	11.4	66
68									11.7	8.5	10.4	10.4	68
70									10.6	7.4	9.5	9.3	70
72											8.6	8.4	72
74											7.7	7.4	74
76											6.7	6.4	76
78												5.5	78
80												4.7	80
吊钩 Hook	55t	55t	55t	55t	55t	55t	55t	55t	55t	55t	55t	55t	吊钩 Hook
倍率n	12	13	9	11	7	9	6	7	6	6	5	5	倍率n
组合 Code	111112	211111	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 18.4~52.4m

	    														
	18.4m	24.1m	24.1m	29.7m	29.7m	35.4m	35.4m	41.1m	41.1m	46.8m	46.8m	52.4m	52.4m		
3	265.0													3	
3.5	265.0	265.0	265.0											3.5	
4	265.0	265.0	265.0	265.0	265.0	265.0								4	
4.5	265.0	265.0	265.0	259.7	259.7	251.8	265.0	265.0						4.5	
5	265.0	265.0	265.0	254.4	254.4	238.5	259.7	259.7	265.0					5	
6	265.0	265.0	265.0	249.1	249.1	225.3	254.4	254.4	259.7	265.0	265.0			6	
7	265.0	265.0	265.0	243.8	243.8	220.0	249.1	249.1	254.4	259.7	265.0	170.4	265.0	7	
8	265.0	265.0	265.0	238.5	238.5	207.7	243.8	243.8	249.1	254.4	265.0	161.2	259.7	8	
9	265.0	265.0	265.0	227.9	238.5	192.2	238.5	224.4	243.8	247.4	251.8	152.1	245.3	9	
10	263.2	260.3	254.6	211.7	236.8	168.6	230.9	195.6	224.9	226.4	232.8	144.3	225.0	10	
12	222.3	221.4	212.8	185.3	208.6	149.3	203.5	173.1	202.8	195.8	196.7	129.8	193.8	12	
14	188.1	189.1	180.5	164.6	185.3	133.5	180.5	154.8	174.8	173.9	169.1	118.5	167.2	14	
16	142.4	164.4	155.8	148.1	161.5	120.9	157.7	139.9	153.0	152.0	147.3	109.0	147.3	16	
18		144.4	131.3	137.5	141.6	113.3	138.7	126.5	134.9	134.9	130.2	101.1	130.2	18	
20		119.5	105.3	126.0	122.1	106.8	123.0	114.6	119.7	119.7	115.9	93.3	115.9	20	
22				106.0	102.3	101.1	103.2	103.5	102.0	106.5	99.4	87.1	103.7	22	
24				90.4	86.8	92.7	87.7	92.6	86.6	91.0	84.1	82.6	88.3	24	
26				77.8	74.2	80.2	75.3	80.1	74.3	78.6	71.8	77.4	75.9	26	
28						70.0	65.2	69.9	64.2	68.4	61.8	71.7	65.8	28	
30						61.4	56.6	61.4	55.7	59.9	53.4	63.2	57.4	30	
32								54.2	48.6	52.8	46.4	56.0	50.3	32	
34								48.0	42.4	46.6	40.3	49.8	44.2	34	
36								42.6	37.1	41.2	35.0	44.4	38.8	36	
38										36.5	30.3	39.7	34.2	38	
40										32.4	26.2	35.6	30.1	40	
42												31.9	26.4	42	
44												28.5	23.1	44	
46												25.5	20.2	46	
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	240t	360t	吊钩 Hook	
倍率n	17	17	17	17	17	17	17	17	17	17	17	12	17	倍率n	
组合 Code	000000	000001	100000	000011	000110	000111	001110	001111	011110	011111	111110	011112	111111	组合 Code	
风速 Wind speed	14.1m/s	12.8m/s	12.8m/s	12.8m/s	12.8m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	风速 Wind speed	

起重性能表 Lifting capacities

T 58.1~92.4m

	18.4-92.4m 13×13m 360° 135t												
	58.1m	58.1m	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
8	163.9	164.7											8
9	155.3	150.6	126.4	139.9									9
10	147.6	136.8	120.5	131.1	105.0	123.7							10
12	134.7	117.1	109.4	116.2	95.3	110.4	89.4	110.3	85.4	91.9			12
14	123.5	101.7	100.6	103.2	86.5	99.1	81.5	97.9	79.4	84.0	76.3	58.3	14
16	114.1	88.4	91.5	93.3	79.4	89.0	75.4	86.7	73.5	76.4	70.0	56.5	16
18	106.1	79.8	84.2	84.0	73.3	79.7	68.6	77.2	68.4	70.4	64.4	54.0	18
20	98.9	72.7	78.3	75.3	68.0	71.5	63.5	68.9	63.3	63.5	59.3	50.6	20
22	92.5	66.3	72.6	67.5	63.5	64.4	58.4	61.9	58.6	57.1	54.2	47.9	22
24	87.0	60.5	68.3	61.4	59.2	58.1	54.2	56.9	53.8	52.1	49.3	44.1	24
26	79.2	55.9	64.0	55.6	54.7	52.8	51.0	52.1	49.6	47.7	45.2	41.0	26
28	69.0	53.3	59.9	51.1	51.2	48.0	47.7	48.0	45.2	43.9	41.9	38.1	28
30	60.6	50.9	56.6	46.7	48.9	43.6	44.3	44.9	40.6	40.5	38.5	35.6	30
32	53.4	48.2	55.2	43.2	45.7	40.5	41.2	40.8	37.0	37.2	35.5	33.6	32
34	47.2	42.1	49.0	40.4	43.4	37.7	39.0	38.5	35.9	34.9	33.1	31.7	34
36	41.9	36.8	43.7	36.3	41.2	35.2	36.8	35.0	34.7	32.7	30.9	29.7	36
38	37.2	32.2	39.0	31.7	38.9	32.1	34.5	32.6	33.4	30.9	29.3	27.8	38
40	33.1	28.1	34.9	27.6	35.6	28.0	32.8	29.2	31.9	28.9	28.0	26.2	40
42	29.4	24.5	31.2	24.0	31.9	24.4	31.1	25.6	29.0	27.0	26.1	24.7	42
吊钩 Hook	240t	240t	150t	240t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩 Hook
倍率n	12	13	9	11	7	9	6	7	6	6	5	5	倍率n
组合 Code	111112	211111	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed


T 58.1~92.4m

XCMG—XCA1600

起重性能表

Lifting capacities

T 18.4~52.4m

	    													
	18.4m	24.1m	24.1m	29.7m	29.7m	35.4m	35.4m	41.1m	41.1m	46.8m	46.8m	52.4m	52.4m	
3	265.0													3
3.5	265.0	265.0	265.0											3.5
4	265.0	265.0	265.0	265.0	265.0									4
4.5	265.0	265.0	265.0	259.7	259.7	265.0	265.0							4.5
5	265.0	265.0	265.0	254.4	254.4	251.8	259.7	265.0	265.0					5
6	265.0	265.0	265.0	249.1	249.1	238.5	254.4	259.7	259.7	265.0	265.0			6
7	265.0	265.0	265.0	243.8	243.8	225.3	249.1	254.4	254.4	259.7	265.0	170.4	265.0	7
8	265.0	265.0	265.0	238.5	238.5	220.0	243.8	249.1	249.1	252.7	248.9	161.2	243.2	8
9	259.4	256.5	248.0	227.9	238.5	207.7	238.5	236.6	232.8	228.0	224.2	152.1	220.4	9
10	232.8	231.8	223.3	211.7	225.2	192.2	218.5	214.7	211.9	208.1	204.3	144.3	200.5	10
12	192.9	193.8	184.3	185.3	189.1	168.6	183.4	181.5	177.7	175.8	172.0	129.8	170.1	12
14	144.7	159.9	142.8	163.4	161.5	149.3	156.8	155.8	152.0	151.1	147.3	118.5	146.3	14
16	105.2	120.3	104.6	127.1	122.8	129.6	123.7	129.4	122.2	127.4	119.2	109.0	124.1	16
18		93.8	79.0	100.3	96.3	102.8	97.2	102.5	95.8	100.7	93.0	101.1	97.6	18
20		74.7	60.5	81.2	77.3	83.5	78.2	83.3	76.9	81.6	74.2	85.2	78.7	20
22				66.7	63.1	69.1	63.9	69.0	62.8	67.3	60.2	70.8	64.5	22
24				55.5	51.9	57.9	52.9	57.7	51.7	56.1	49.2	59.5	53.4	24
26				46.4	42.9	48.9	43.9	48.8	42.9	47.2	40.5	50.5	44.6	26
28						41.5	36.6	41.4	35.6	39.9	33.3	43.2	37.3	28
30						35.3	30.5	35.3	29.6	33.8	27.3	37.0	31.3	30
32								30.1	24.5	28.6	22.2	31.8	26.1	32
34								25.6	20.0	24.2	17.9	27.4	21.7	34
36								21.6	16.2	20.3	14.1	23.5	17.9	36
38										16.9	10.7	20.1	14.6	38
40										13.9	7.8	17.1	11.6	40
42												14.4	9.0	42
44												12.0	6.6	44
46												9.8	4.5	46
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	240t	360t	吊钩 Hook
倍率n	17	17	17	17	17	17	17	17	17	17	17	12	17	倍率n
组合 Code	000000	000001	100000	000011	000110	000111	001110	001111	011110	011111	111110	011112	111111	组合 Code
风速 Wind speed	14.1m/s	12.8m/s	12.8m/s	12.8m/s	12.8m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	风速 Wind speed

起重性能表

Lifting capacities



T 58.1~92.4m

	18.4-92.4m 13×13m 360° 75t												
	58.1m	58.1m	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
8	163.9	164.7											8
9	155.3	150.6	126.4	139.9									9
10	147.6	136.8	120.5	131.1	105.0	123.7							10
12	134.7	117.1	109.4	116.2	95.3	110.4	89.4	110.3	85.4	91.9			12
14	123.5	101.7	100.6	103.2	86.5	99.1	81.5	97.9	79.4	84.0	76.3	58.3	14
16	114.1	88.4	91.5	93.3	79.4	89.0	75.4	86.7	73.5	76.4	70.0	56.5	16
18	101.3	79.8	84.2	84.0	73.3	79.7	68.6	77.2	68.4	70.4	64.4	54.0	18
20	82.2	72.7	78.3	75.3	68.0	71.5	63.5	68.9	63.3	63.5	59.3	50.6	20
22	67.9	62.1	69.9	61.5	63.5	61.9	58.4	61.9	58.6	57.1	54.2	47.9	22
24	56.7	51.1	58.7	50.5	59.2	50.9	54.2	52.3	53.8	52.1	49.3	44.1	24
26	47.8	42.4	49.7	41.7	50.5	42.2	50.2	43.5	49.2	45.2	45.2	41.0	26
28	40.5	35.2	42.4	34.5	43.1	35.0	42.9	36.2	41.8	38.0	40.1	38.1	28
30	34.4	29.1	36.2	28.5	37.0	29.0	36.8	30.2	35.7	32.0	34.0	34.3	30
32	29.3	24.1	31.1	23.5	31.8	23.9	31.6	25.1	30.6	26.8	28.9	29.1	32
34	24.8	19.7	26.6	19.1	27.4	19.6	27.1	20.8	26.1	22.5	24.5	24.7	34
36	21.0	15.9	22.8	15.4	23.5	15.8	23.3	17.0	22.3	18.7	20.6	20.9	36
38	17.6	12.6	19.4	12.1	20.1	12.5	19.9	13.7	18.9	15.3	17.3	17.6	38
40	14.7	9.7	16.4	9.1	17.2	9.6	16.9	10.8	16.0	12.4	14.4	14.6	40
42	12.0	7.1	13.8	6.5	14.5	7.0	14.3	8.2	13.3	9.8	11.7	12.0	42
44	9.6	4.7	11.4	4.2	12.1	4.6	11.9	5.8	11.0	7.5	9.4	9.6	44
46	7.5	2.6	9.3	2.1	10.0	2.5	9.8	3.7	8.8	5.3	7.3	7.5	46
48	5.6		7.3		8.1		7.8	1.8	6.9	3.4	5.3	5.6	48
50	3.8		5.5		6.3		6.1		5.2	1.7	3.6	3.9	50
52			3.9		4.7		4.5		3.6		2.0	2.3	52
54			2.4		3.2		3.0		2.1				54
56			1.1		1.8		1.6						56
58					0.6		0.4						58
吊钩 Hook	240t	240t	150t	240t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩 Hook
倍率n	12	13	9	11	7	9	6	7	6	6	5	5	倍率n
组合 Code	111112	211111	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 18.4~52.4m

   															
	18.4m	24.1m	24.1m	29.7m	29.7m	35.4m	35.4m	41.1m	41.1m	46.8m	46.8m	52.4m	52.4m		
3	265.0													3	
3.5	265.0	265.0	265.0											3.5	
4	265.0	265.0	265.0	265.0	265.0									4	
4.5	265.0	265.0	265.0	259.7	259.7	265.0	265.0							4.5	
5	265.0	265.0	265.0	254.4	254.4	251.8	259.7	265.0	265.0					5	
6	265.0	265.0	265.0	249.1	249.1	238.5	254.4	259.7	259.7	265.0	265.0			6	
7	265.0	265.0	265.0	243.8	243.8	225.3	249.1	254.4	254.4	256.5	252.7	170.4	246.1	7	
8	263.2	260.3	250.8	238.5	238.5	220.0	243.2	237.5	234.7	229.0	225.2	161.2	220.4	8	
9	233.7	232.8	224.2	227.9	225.2	207.7	218.5	214.7	210.9	207.1	203.3	152.1	199.5	9	
10	210.0	210.0	201.4	206.2	204.3	192.2	198.6	194.8	191.9	188.1	184.3	144.3	181.5	10	
12	139.3	156.0	136.6	164.2	158.9	167.3	159.9	164.4	158.1	158.7	154.3	129.8	153.0	12	
14	92.4	107.6	90.5	114.9	110.2	117.6	111.1	117.3	109.5	115.1	106.2	118.5	111.6	14	
16	63.4	78.5	62.8	85.2	81.0	87.8	81.8	87.5	80.4	85.6	77.4	89.6	82.3	16	
18		58.9	44.1	65.4	61.4	67.9	62.3	67.7	61.0	65.8	58.1	69.6	62.8	18	
20		44.8	30.6	51.3	47.5	53.7	48.3	53.5	47.1	51.7	44.4	55.3	48.8	20	
22				40.6	36.9	43.0	37.8	42.8	36.6	41.1	34.0	44.6	38.3	22	
24				32.3	28.7	34.6	29.6	34.5	28.5	32.9	26.0	36.3	30.2	24	
26				25.5	21.9	27.9	23.0	27.9	22.0	26.3	19.6	29.6	23.6	26	
28						22.4	17.6	22.4	16.6	20.9	14.3	24.2	18.3	28	
30						17.8	13.1	17.8	12.2	16.4	9.9	19.6	13.8	30	
32								14.0	8.4	12.5	6.1	15.7	10.0	32	
34								10.6	5.1	9.2	2.9	12.4	6.8	34	
36								7.7	2.2	6.4	0.1	9.5	4.0	36	
38										3.9		7.0	1.5	38	
40										1.6		4.8		40	
42												2.8		42	
44												1.0		44	
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	240t	360t	吊钩 Hook	
倍率n	17	17	17	17	17	17	17	17	17	17	17	12	17	倍率n	
组合 Code	000000	000001	100000	000011	000110	000111	001110	001111	011110	011111	111110	011112	111111	组合 Code	
风速 Wind speed	14.1m/s	12.8m/s	12.8m/s	12.8m/s	12.8m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	风速 Wind speed	

起重性能表

Lifting capacities

T 58.1~92.4m

	18.4-92.4m 13×13m 360° 35t												
	58.1m	58.1m	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
8	163.9	164.7											8
9	155.3	150.6	126.4	139.9									9
10	147.6	136.8	120.5	131.1	105.0	123.7							10
12	134.7	117.1	109.4	116.2	95.3	110.4	89.4	110.3	85.4	91.9			12
14	115.9	101.7	100.6	103.2	86.5	99.1	81.5	97.9	79.4	84.0	76.3	58.3	14
16	86.2	79.6	88.5	78.8	79.4	79.3	75.4	80.9	73.5	76.4	70.0	56.5	16
18	66.5	60.2	68.6	59.5	69.5	60.0	68.6	61.4	68.0	63.5	64.4	54.0	18
20	52.3	46.4	54.4	45.7	55.3	46.1	55.0	47.6	53.8	49.5	51.8	50.6	20
22	41.7	36.0	43.7	35.3	44.6	35.8	44.3	37.1	43.2	39.0	41.3	41.5	22
24	33.5	27.9	35.4	27.3	36.2	27.7	36.0	29.0	34.9	30.9	33.0	33.3	24
26	26.9	21.4	28.8	20.8	29.6	21.2	29.3	22.5	28.2	24.3	26.5	26.7	26
28	21.5	16.1	23.4	15.5	24.1	16.0	23.9	17.2	22.8	19.0	21.1	21.3	28
30	17.0	11.7	18.8	11.1	19.6	11.5	19.3	12.8	18.3	14.5	16.6	16.8	30
32	13.2	8.0	15.0	7.4	15.7	7.8	15.5	9.1	14.5	10.8	12.8	13.0	32
34	9.9	4.8	11.7	4.2	12.4	4.6	12.2	5.8	11.2	7.5	9.5	9.8	34
36	7.1	2.0	8.8	1.4	9.6	1.8	9.3	3.1	8.4	4.7	6.7	7.0	36
38	4.6		6.3		7.1		6.8		5.9	2.3	4.2	4.5	38
40	2.4		4.1		4.9		4.6		3.7		2.0	2.3	40
42			2.1		2.9		2.7		1.7				42
44					1.1								44
吊钩 Hook	240t	240t	150t	240t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩 Hook
倍率n	12	13	9	11	7	9	6	7	6	6	5	5	倍率n
组合 Code	111112	211111	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 18.4~52.4m

	18.4-92.4m 13×13m 360° 0t													
	18.4m	24.1m	24.1m	29.7m	29.7m	35.4m	35.4m	41.1m	41.1m	46.8m	46.8m	52.4m	52.4m	
3	265.0													3
3.5	265.0	265.0	265.0											3.5
4	265.0	265.0	265.0	265.0	265.0									4
4.5	265.0	265.0	265.0	259.7	259.7	265.0	265.0							4.5
5	265.0	265.0	265.0	254.4	254.4	251.8	259.7	265.0	265.0					5
6	265.0	265.0	265.0	249.1	249.1	238.5	254.4	259.7	258.1	250.9	247.3			6
7	258.1	254.5	246.4	243.8	243.8	225.3	236.5	231.0	227.4	222.0	218.4	170.4	213.0	7
8	226.5	224.7	216.6	219.3	217.5	213.0	210.3	205.8	203.1	198.6	194.9	161.2	191.3	8
9	192.9	200.4	188.6	196.7	194.9	192.2	188.6	185.9	182.3	179.6	175.1	152.1	172.4	9
10	133.8	153.2	130.3	162.7	156.5	166.3	157.6	165.8	155.4	162.5	150.9	144.3	157.0	10
12	74.4	90.3	71.9	98.0	93.0	101.0	93.9	100.6	92.2	98.3	88.6	103.0	94.4	12
14	44.4	58.8	42.5	65.7	61.3	68.3	62.1	68.0	60.6	65.9	57.4	70.1	62.5	14
16	25.5	39.8	24.9	46.2	42.2	48.6	43.0	48.4	41.6	46.5	38.7	50.3	43.4	16
18		27.0	12.9	33.2	29.4	35.5	30.2	35.3	28.9	33.6	26.2	37.2	30.6	18
20		17.8	4.3	23.9	20.2	26.1	21.1	26.0	19.9	24.3	17.3	27.7	21.5	20
22				16.8	13.3	19.1	14.2	18.9	13.1	17.3	10.6	20.7	14.7	22
24				11.3	7.9	13.6	8.8	13.5	7.7	11.9	5.4	15.2	9.3	24
26				6.8	3.5	9.2	4.5	9.1	3.5	7.6	1.2	10.8	5.1	26
28						5.5		5.5		4.0		7.1	1.6	28
30						2.4		2.5		1.1		4.1		30
32												1.6		32
吊钩 Hook	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	360t	240t	360t	吊钩 Hook
倍率n	17	17	17	17	17	17	17	17	16	16	16	11	13	倍率n
组合 Code	000000	000001	100000	000011	000110	000111	001110	001111	011110	011111	111110	011112	111111	组合 Code
风速 Wind speed	14.1m/s	12.8m/s	12.8m/s	12.8m/s	12.8m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	11.1m/s	风速 Wind speed

起重性能表


Lifting capacities

T 18.4~52.4m

	18.4-92.4m 13×13m 360° 0t												
	58.1m	58.1m	63.8m	63.8m	69.5m	69.5m	75.1m	75.1m	80.8m	80.8m	86.5m	92.4m	
8	163.9	164.7											8
9	155.3	150.6	126.4	139.9									9
10	147.6	136.8	120.5	131.1	105.0	123.7							10
12	99.0	91.2	101.7	90.2	95.3	90.8	89.4	92.7	85.4	91.9			12
14	66.6	59.7	69.0	58.9	69.9	59.4	69.6	61.0	68.2	63.3	66.0	58.3	14
16	47.2	40.8	49.3	40.1	50.2	40.6	49.9	42.1	48.7	44.1	46.6	46.9	16
18	34.2	28.2	36.2	27.5	37.1	28.0	36.8	29.4	35.6	31.3	33.6	33.9	18
20	24.9	19.2	26.8	18.6	27.7	19.0	27.4	20.3	26.3	22.2	24.4	24.7	20
22	17.9	12.5	19.8	11.8	20.6	12.2	20.3	13.5	19.3	15.3	17.5	17.7	22
24	12.5	7.2	14.3	6.6	15.1	7.0	14.8	8.3	13.8	10.0	12.1	12.3	24
26	8.2	3.0	10.0	2.4	10.7	2.8	10.5	4.0	9.5	5.7	7.8	8.0	26
28	4.6		6.4		7.1		6.9		5.9	2.2	4.2	4.5	28
30	1.7		3.4		4.1		3.9		2.9		1.3	1.5	30
32					1.6		1.3						32
吊钩 Hook	240t	240t	150t	240t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩 Hook
倍率n	11	11	8	10	7	8	6	6	6	6	4	4	倍率n
组合 Code	111112	211111	111122	221111	111222	222111	112222	222211	122222	222221	222222	333333	组合 Code
风速 Wind speed	11.1m/s	11.1m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed


起升高度曲线图 Lifting heights

超起+变幅副臂
Super lifting device + luffing jib



起重性能表 Lifting capacities

T 29~51.7m





	48m					
	29m	34.7m	40.3m	46m	51.7m	
14						14
16	134.0	135.8				16
18	124.5	125.3	126.4	126.8		18
20	108.6	121.5	122.4	123.8	124.3	20
22	100.8	112.6	114.5	116.7	119.7	22
24	93.6	105.4	107.8	108.9	111.6	24
26	87.1	98.2	101.2	103.0	105.3	26
28	82.2	93.7	96.8	97.6	99.0	28
30	76.2	86.4	89.9	91.5	92.7	30
32	71.7	81.9	85.4	86.7	87.3	32
34	67.1	77.3	79.5	80.7	81.9	34
36	63.2	72.7	75.4	76.3	77.4	36
38	60.2	68.2	71.5	72.4	72.9	38
40	53.2	62.0	65.6	67.9	69.3	40
42	51.0	58.2	59.4	61.4	62.1	42
44	48.3	49.0	49.7	50.8	51.5	44
46	47.6	46.4	47.3	48.1	50.4	46
48	46.5	44.3	45.1	46.2	48.3	48
50			42.1	43.1	44.1	50
组合Code	110	111	211	221	222	组合Code
倍率n	8	9	8	8	8	倍率n
吊钩重量 Hook weight	5.9t	5.9t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	240t	240t	150t	150t	150t	吊钩Hook
风速 Wind speed	10m/s	10m/s	10m/s	10m/s	10m/s	风速 Wind speed

起重性能表

Lifting capacities



T 29~51.7m

     											
	54m					60m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
16	134.0	135.8									16
18	122.4	122.8	123.3	123.3		124.9	129.8	129.9			18
20	108.6	114.3	116.5	118.7	123.1	108.8	109.7	111.0	122.2		20
22	100.8	106.7	107.3	108.1	119.7	105.7	106.3	107.5	108.7	121.2	22
24	93.6	102.2	103.8	104.1	109.8	96.7	97.8	98.6	99.1	105.6	24
26	87.1	98.2	99.4	100.4	102.6	93.6	94.3	94.9	95.6	99.9	26
28	82.2	93.7	94.5	95.3	96.3	87.1	89.7	91.4	92.5	94.5	28
30	76.2	86.4	89.9	90.3	90.9	82.2	84.5	86.7	87.6	89.1	30
32	71.7	81.9	83.4	84.0	84.6	76.2	80.8	81.4	82.2	82.8	32
34	67.1	77.3	78.6	79.6	80.1	71.7	75.3	76.9	77.4	78.3	34
36	63.2	72.7	74.1	74.9	75.6	67.1	71.4	72.2	73.0	73.8	36
38	60.2	68.2	69.3	70.4	71.1	63.2	64.5	65.6	67.9	69.3	38
40	53.2	62.0	65.6	67.0	67.5	60.2	63.4	64.4	65.0	65.7	40
42	51.0	58.2	59.4	61.2	62.1	53.2	60.3	61.2	61.9	62.1	42
44	48.3	49.0	49.7	50.8	51.5	51.0	55.8	57.8	58.4	59.4	44
46	45.2	46.4	47.3	48.1	50.4	48.3	49.0	49.7	50.8	51.5	46
48	42.7	44.3	45.1	46.2	48.3	45.2	46.4	47.3	48.1	50.4	48
50	40.4	41.2	42.1	43.1	44.1	42.7	44.3	45.1	46.2	48.3	50
52	39.0	39.7	40.8	42.4	43.5	40.4	41.2	42.1	43.1	44.1	52
54	37.6	37.9	38.4	40.3	41.8	39.0	39.7	40.8	42.4	43.5	54
56				38.4	40.2	37.6	37.9	38.4	40.3	41.8	56
58						34.3	35.4	36.3	38.4	40.2	58
60							33.6	34.7	35.5	37.4	60
62										34.6	62
组合Code	110	111	211	221	222	110	111	211	221	222	组合Code
倍率n	8	9	8	8	8	8	8	8	7	7	倍率n
吊钩重量 Hook weight	5.9t	5.9t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	240t	240t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩Hook
风速 Wind speed	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	风速 Wind speed

起重性能表

Lifting capacities


T 29~51.7m

     											
	66m					72m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
18	110.3	120.8									18
20	104.9	109.7	120.2			101.1					20
22	95.2	98.7	105.3	113.2	120.0	94.8	111.4	111.6			22
24	90.8	96.5	97.8	101.6	105.6	85.5	91.1	92.4	103.3	111.4	24
26	86.4	87.6	88.9	90.9	98.1	81.1	88.7	90.1	91.1	93.4	26
28	80.1	86.6	87.3	88.0	92.7	76.7	80.7	81.9	83.5	90.9	28
30	75.6	84.5	85.0	85.6	86.4	72.2	79.7	80.5	81.2	84.6	30
32	71.1	77.3	78.1	79.5	81.0	67.7	76.6	77.8	78.6	80.1	32
34	66.6	73.4	74.5	75.9	76.5	65.2	73.4	74.5	74.6	74.7	34
36	62.0	68.6	69.4	70.8	72.0	61.0	68.7	69.2	69.7	70.2	36
38	59.8	64.5	65.6	67.9	68.4	58.5	65.0	65.4	66.0	66.6	38
40	57.5	62.1	63.4	63.7	63.9	54.2	61.4	62.0	62.5	63.0	40
42	53.0	60.3	60.7	60.8	61.2	51.7	58.4	58.9	59.0	59.4	42
44	50.7	55.8	56.0	56.4	57.6	49.4	54.3	55.4	56.0	56.7	44
46	48.3	49.0	49.7	50.8	51.5	47.1	51.1	52.2	52.7	53.1	46
48	43.5	46.4	47.3	48.1	50.4	44.8	49.0	49.7	50.0	50.4	48
50	41.4	44.3	45.1	46.2	46.8	42.6	46.4	47.3	48.1	48.6	50
52	39.5	41.2	42.1	43.1	44.1	38.0	44.3	45.1	45.7	45.9	52
54	39.0	39.7	40.8	42.4	42.5	38.0	41.2	41.4	41.6	41.7	54
56	37.0	37.9	38.4	40.3	40.8	35.8	38.7	39.4	39.7	40.0	56
58	34.3	35.4	36.3	38.4	39.1	33.7	36.3	36.7	37.0	37.4	58
60	32.1	33.6	34.7	35.5	37.4	32.5	34.0	34.9	35.3	35.7	60
62	30.8	31.4	32.4	33.2	34.6	30.5	33.6	34.7	34.8	34.9	62
64	29.3	29.9	30.9	31.6	32.4	30.2	31.4	32.4	33.0	33.2	64
66	27.7	27.6	28.5	29.4	31.0	28.4	29.9	30.9	31.2	31.5	66
68				27.2	29.6	26.3	27.6	28.1	29.4	30.6	68
70						24.4	25.2	26.1	27.2	28.6	70
72								24.2	25.8	26.7	72
74										24.9	74
组合 Code	110	111	211	221	222	110	111	211	221	222	组合 Code
倍率n	7	7	7	6	7	6	6	6	6	6	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩 Hook	150t	150t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩 Hook
风速 Wind speed	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	风速 Wind speed

起重性能表


Lifting capacities

T 29~51.7m

     											
	78m					84m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
22	89.2	99.1									22
24	84.9	91.3	111.2			80.4	93.4				24
26	76.1	82.3	84.5	95.2	110.9	78.2	83.2	99.0	103.0	110.0	26
28						72.0	80.6	91.8	96.5		27
30	69.6	75.1	76.4	77.0	82.8	69.9	78.0	84.5	90.0	108.0	28
32	65.1	72.2	73.5	74.4	78.3	64.0	71.8	72.4	72.8	97.0	32
34	62.4	69.1	70.4	71.6	72.9	61.1	68.2	69.5	70.7	81.0	34
36	60.2	66.4	67.3	68.0	68.4	57.4	65.3	66.4	67.0	67.5	36
38	56.3	61.8	62.4	63.4	64.8	54.3	61.5	62.4	62.7	63.0	38
40	53.5	60.3	60.7	61.0	61.2	52.1	57.4	58.7	59.0	59.4	40
42	51.2	56.8	56.9	57.3	57.6	49.9	55.3	56.1	56.4	56.7	42
44	49.0	52.4	53.3	54.0	54.9	47.6	52.2	52.7	52.9	53.1	44
46	46.7	51.7	51.9	52.0	52.2	45.4	49.6	49.9	50.2	50.4	46
48	44.4	49.0	49.2	49.4	49.5	43.1	45.5	46.7	47.0	47.7	48
50	42.1	46.0	46.2	46.5	46.8	40.8	43.5	44.3	44.8	45.0	50
52	39.8	43.4	43.7	43.8	44.1	38.5	42.2	42.5	42.8	43.2	52
54	35.4	40.4	40.8	41.7	42.3	36.2	40.8	41.0	41.2	41.4	54
56	33.2	36.6	37.4	38.0	38.3	33.9	37.4	37.8	38.2	38.7	56
58	33.0	35.4	35.8	36.3	36.6	33.2	35.5	36.0	36.4	36.9	58
60	31.0	34.6	34.8	34.9	34.9	29.8	32.4	33.0	33.1	33.2	60
62	29.8	32.1	32.5	32.8	33.2	28.5	31.8	32.0	32.1	32.3	62
64	27.7	30.5	30.8	31.1	31.5	27.4	29.8	30.4	30.5	30.6	64
66	27.7	30.2	30.3	30.4	30.5	26.3	27.4	28.0	28.7	28.9	66
68	26.6	28.8	29.2	29.8	28.9	25.2	26.5	27.8	28.1	28.1	68
70	25.4	25.2	28.1	28.1	28.1	24.1	25.0	25.1	25.6	26.4	70
72	24.4	23.9	24.1	26.2	26.3	23.0	23.5	24.0	24.5	25.5	72
74	22.3	23.7	24.1	25.5	25.5	23.0	21.8	22.0	22.4	22.7	74
76	21.4	22.2	22.2	22.9	24.6	20.8	21.3	22.0	22.5	22.8	76
78			22.0	22.2	22.3	20.8	19.4	19.8	20.5	22.1	78
80					19.8	20.4	19.2	20.5	20.6	20.7	80
82						17.6	18.1	18.5	19.0	19.8	82
84								16.2	18.4	18.5	84
86											86
组合 Code	110	111	211	221	222	110	111	211	221	222	组合 Code
倍率n	6	6	6	5	6	5	6	5	5	7	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩 Hook	150t	150t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩 Hook
风速 Wind speed	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	风速 Wind speed

起重性能表 Lifting capacities

T 29~51.7m




	48m					
	29m	34.7m	40.3m	46m	51.7m	
14						14
16	97.7	99.0				16
18	90.8	91.3	92.1	92.4		18
20	79.2	86.3	86.9	88.4	90.6	20
22	73.5	78.8	80.1	80.6	85.3	22
24	68.3	76.9	77.1	77.7	80.0	24
26	63.5	71.6	73.8	74.4	74.8	26
28	59.9	68.3	68.9	69.3	69.5	28
30	55.6	63.0	63.4	64.6	65.0	30
32	52.3	59.7	60.1	60.7	61.0	32
34	46.2	53.2	54.8	55.8	57.1	34
36	43.5	50.0	50.9	51.4	53.8	36
38	41.4	47.0	47.4	48.0	48.3	38
40	38.8	43.4	44.1	45.0	45.9	40
42	37.2	40.7	41.6	42.4	43.4	42
44	35.2	35.7	36.2	37.0	37.6	44
46	33.0	33.8	34.5	35.1	36.8	46
48	32.0	32.3	32.9	33.7	35.2	48
50			30.7	31.4	31.7	50
组合Code	110	111	211	221	222	组合Code
倍率n	6	6	6	6	6	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	150t	150t	150t	150t	150t	吊钩Hook
风速 Wind speed	10m/s	10m/s	10m/s	10m/s	10m/s	风速 Wind speed

起重性能表

Lifting capacities





T 29~51.7m

     											
	54m					60m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
16	97.7	99.0									16
18	89.2	89.5	89.9	89.9		91.1	99.0	99.7			18
20	79.2	83.3	84.9	86.5	89.6	79.3	80.0	80.9	81.8		20
22	73.5	75.7	78.2	78.8	87.3	77.1	77.5	78.4	79.2	81.8	22
24	68.3	74.5	75.7	75.9	78.7	70.5	71.3	71.9	72.2	76.8	24
26	63.5	70.1	71.0	71.7	72.8	68.3	68.7	69.2	69.7	71.5	26
28	59.9	66.6	67.6	68.0	68.2	63.5	64.5	65.4	65.6	66.3	28
30	55.6	60.9	62.5	63.2	63.6	59.9	61.6	62.0	62.2	62.3	30
32	52.3	56.9	58.1	59.0	59.7	55.6	57.0	58.1	58.3	58.4	32
34	48.9	52.9	54.0	54.6	55.8	52.3	52.2	53.2	53.7	54.5	34
36	46.1	49.2	49.7	50.9	52.5	48.9	49.2	50.1	51.1	51.8	36
38	43.9	45.4	46.7	47.7	49.9	46.1	47.0	47.8	48.1	48.6	38
40	38.8	42.4	43.3	44.4	44.6	43.9	43.8	44.9	45.4	45.9	40
42	37.2	40.6	41.6	41.9	42.1	38.8	42.8	43.3	43.7	44.0	42
44	35.2	35.7	36.2	37.0	37.6	37.2	38.4	39.3	39.7	41.3	44
46	33.0	33.8	34.5	35.1	36.8	35.2	35.7	36.2	37.0	37.2	46
48	31.1	32.3	32.9	33.7	35.2	33.0	33.8	34.5	35.1	35.3	48
50	29.5	30.0	30.7	31.4	32.1	31.1	32.3	32.9	33.2	33.5	50
52	28.4	28.9	29.7	30.9	31.7	29.5	30.0	30.7	31.4	32.1	52
54	27.4	27.6	28.0	29.4	30.5	28.4	28.9	29.7	30.9	31.0	54
56				28.0	29.3	27.4	27.6	28.0	28.8	29.1	56
						25.0	25.8	26.5	27.5	27.9	58
							24.5	25.3	25.9	27.3	60
										25.2	62
组合Code	110	111	211	221	222	110	111	211	221	222	组合Code
倍率n	6	6	6	6	6	6	6	6	5	5	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	150t	150t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩Hook
风速 Wind speed	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	风速 Wind speed

起重性能表


Lifting capacities

T 29~51.7m

     											
	66m					72m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
18	79.7	84.2									
20	72.4	80.0	80.9			72.3					20
22	69.4	72.0	73.2	74.8	80.8	69.1	72.2	72.2			22
24	66.2	70.3	71.3	71.9	75.5	62.3	66.4	67.4	68.3	72.2	24
26	63.0	63.9	64.8	66.3	70.2	59.1	64.7	65.7	66.4	68.1	26
28	58.4	63.1	63.6	64.1	65.0	55.9	58.8	59.7	60.9	63.6	28
30	55.1	61.6	62.0	61.7	61.0	52.6	58.1	58.7	59.2	59.7	30
32	51.9	56.4	56.9	57.7	57.1	49.4	55.8	56.7	56.4	55.8	32
34	48.6	53.5	54.3	54.5	53.8	47.6	51.4	51.8	52.2	52.5	34
36	45.2	50.0	50.6	51.2	50.5	44.5	48.2	48.5	48.8	49.2	36
38	43.6	47.0	47.8	47.9	47.2	42.6	45.4	45.6	46.0	46.6	38
40	41.9	45.3	45.9	45.3	44.6	39.5	42.9	43.2	43.6	44.0	40
42	38.6	44.0	43.3	43.3	42.6	37.7	39.9	40.3	40.9	41.3	42
44	34.9	39.7	39.0	38.4	40.0	36.0	38.4	38.9	39.1	39.4	44
46	33.3	35.7	36.2	36.6	35.9	34.4	36.9	37.3	37.3	37.4	46
48	31.7	33.8	34.5	34.7	34.1	32.7	34.3	34.7	35.1	35.4	48
50	30.2	32.3	32.9	32.8	32.8	29.3	30.8	31.0	31.3	31.6	50
52	28.8	30.0	30.7	31.4	31.0	27.7	29.5	29.9	30.1	30.4	52
54	28.4	28.9	29.7	30.4	29.7	27.7	27.8	28.2	28.4	28.5	54
56	26.9	27.6	28.0	28.5	28.5	26.1	26.6	26.7	27.1	27.3	56
58	25.0	25.8	26.5	27.3	27.3	24.6	25.4	25.7	25.9	26.0	58
60	23.4	24.5	25.3	25.9	26.0	23.7	24.1	24.1	24.5	24.8	60
62	22.5	22.9	23.6	24.2	24.8	22.3	22.5	22.9	23.5	24.2	62
64	21.4	21.8	22.5	23.0	23.5	22.0	22.3	22.5	22.7	22.9	64
66	20.2	20.1	20.8	21.4	22.6	20.7	21.1	21.2	21.5	21.7	66
68				19.8	21.6	19.2	20.1	20.5	20.9	21.1	68
						17.8	18.4	19.0	19.8	19.8	70
								17.6	18.8	19.2	72
										18.2	74
组合 Code	110	111	211	221	222	110	111	211	221	222	组合 Code
倍率n	5	5	5	5	5	5	5	5	4	5	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩 Hook	150t	150t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩 Hook
风速 Wind speed	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	10m/s	风速 Wind speed

起升高度曲线图 Lifting heights


超起+变幅副臂 Super lifting device + luffing jib



起重性能表

Lifting capacities

T 29~51.7m




	84m					78m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
36											36
38											38
40						50.4					40
42						47.5	45.6				42
44	43.7					44.7	43.7	40.9			44
46	40.9	39.0				42.8	40.9	39.0	37.1		46
48	38.0	37.1	35.2	33.3		39.9	39.0	37.1	35.2	33.3	48
50	36.1	35.2	33.3	31.4	30.4	38.0	36.1	35.2	33.3	31.4	50
52	34.2	33.3	31.4	29.5	28.5	36.1	34.2	33.3	31.4	30.4	52
54	32.3	31.4	29.5	28.5	26.6	34.2	32.3	31.4	29.5	28.5	54
56	30.4	29.5	27.6	26.6	25.7	32.3	31.4	29.5	28.5	26.6	56
58	29.5	27.6	26.6	24.7	23.8	30.4	29.5	27.6	26.6	25.7	58
60	27.6	26.6	24.7	23.8	22.8	29.5	27.6	26.6	24.7	23.8	60
62	25.7	24.7	23.8	21.9	20.9	27.2	26.6	24.7	23.8	22.8	62
64	24.7	23.8	21.9	20.9	20.0	26.4	24.7	23.8	22.8	21.9	64
66	23.8	22.8	20.9	20.0	19.0	22.1	22.0	21.8	20.9	20.0	66
68	21.9	20.9	20.0	19.0	18.1	21.3	20.4	20.2	20.0	19.0	68
70	18.7	20.0	19.0	18.1	17.1	20.4	19.6	17.9	17.6	17.3	70
72	17.9	17.0	18.1	16.2	15.2	18.7	17.9	17.0	16.2	16.0	72
74	17.0	16.2	15.3	13.6	14.3	17.9	17.0	16.2	15.3	14.5	74
76	16.2	15.3	14.5	13.6	12.8	17.0	16.2	15.3	14.5	13.6	76
78	15.3	14.5	13.6	12.8	11.9	16.2	15.3	14.5	13.6	12.8	78
80	14.5	13.6	12.8	11.9	11.1	15.3	14.5	13.6	12.8	11.9	80
82	13.6	12.8	11.9	11.1	10.2	14.5	13.6	12.8	11.9	11.1	82
84	12.8	11.9	11.1	10.2	9.4		13.6	11.9	11.1	11.1	84
86	11.9	11.1	10.2	9.4	8.5			11.9	11.1	10.2	86
88	11.1	10.2	9.4	8.5	8.5				10.2	9.4	88
90		10.2	9.4	8.5	7.7					8.5	90
92			8.5	7.7	6.8						92
94				6.8	6.6						94
96					5.9						96
组合Code	110	111	211	221	222	110	111	211	221	222	组合Code
倍率n	3	3	2	2	2	3	3	3	3	2	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	150t	150t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 29~51.7m




	72m					66m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
36						60.8					36
38	56.1					57.0	56.1				38
40	52.3	50.4				54.2	52.3	50.4			40
42	49.4	47.5	45.6			51.3	49.4	47.5	45.6		42
44	46.6	44.7	42.8	41.8		48.5	46.6	44.7	42.8	41.8	44
46	43.7	42.8	40.9	39.0	38.0	45.6	44.7	42.8	40.9	39.0	46
48	41.8	39.9	39.0	37.1	35.2	43.7	41.8	39.9	39.0	37.1	48
50	39.9	38.0	36.1	35.2	33.3	40.9	39.9	38.0	37.1	35.2	50
52	38.0	36.1	34.2	33.3	31.4	39.0	38.0	36.1	35.2	33.3	52
54	36.1	34.2	33.3	31.4	30.4	37.1	36.1	34.2	33.3	31.4	54
56	34.2	32.3	31.4	29.5	28.5	34.9	34.2	32.3	31.4	30.4	56
58	32.3	31.4	29.5	28.5	26.6	30.6	32.3	31.4	29.5	28.5	58
60	27.2	29.5	28.5	26.6	25.7	28.9	28.1	29.5	28.1	27.6	60
62	26.4	25.5	25.3	25.2	24.7	27.2	26.4	25.5	26.6	25.7	62
64	24.7	23.8	23.0	22.9	22.8	26.4	25.5	23.8	23.0	24.7	64
66	23.8	23.0	21.3	20.4	20.2	24.7	23.8	23.0	22.1	21.3	66
68	23.0	21.3	20.4	19.6	18.7	23.8	23.0	22.1	21.3	20.4	68
70	21.3	20.4	19.6	18.7	17.9	23.0	22.1	21.3	19.6	18.7	70
72	20.4	19.6	18.7	17.9	17.0		21.3	19.6	18.7	17.9	72
74	19.6	18.7	17.9	17.0	16.2			18.7	17.9	17.0	74
76	18.7	17.9	17.0	16.2	15.3				17.0	16.2	76
78		17.0	16.2	15.3	14.5					15.3	78
80			15.3	14.5	13.6						80
82				13.6	12.8						82
84					11.9						84
组合Code	110	111	211	221	222	110	111	211	221	222	组合Code
倍率n	4	3	3	3	3	4	4	3	3	3	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	150t	150t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 29~51.7m




	60m					54m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
						73.2					32
34	67.5					69.4	66.5	64.6			34
36	62.7	60.8				64.6	62.7	60.8	58.9		36
38	59.9	58.0	55.1	53.2		60.8	59.9	57.0	55.1	53.2	38
40	56.1	54.2	52.3	50.4	48.5	58.0	56.1	54.2	52.3	50.4	40
42	53.2	51.3	49.4	47.5	45.6	55.1	53.2	51.3	49.4	47.5	42
44	50.4	48.5	46.6	44.7	43.7	52.3	50.4	48.5	46.6	45.6	44
46	47.5	46.6	44.7	42.8	40.9	49.4	47.5	45.6	44.7	42.8	46
48	45.6	43.7	41.8	40.9	39.0	41.7	41.5	41.3	41.2	40.9	48
50	41.7	41.5	39.9	38.0	37.1	40.0	39.1	37.4	37.3	37.2	50
52	40.0	39.1	37.4	36.1	35.2	38.3	36.6	35.7	34.0	33.9	52
54	34.9	34.7	34.3	34.0	33.3	36.6	34.9	34.0	32.3	31.5	54
56	33.2	32.3	32.2	32.0	31.5	34.9	33.2	32.3	31.5	29.8	56
58	31.5	30.6	29.8	28.1	28.0	33.2	32.3	30.6	29.8	28.9	58
60	30.6	28.9	28.1	27.2	26.4	31.5	30.6	29.8	28.1	27.2	60
62	28.9	28.1	26.4	25.5	24.7		28.9	28.1	27.2	26.4	62
64	28.1	26.4	25.5	24.7	23.8			27.2	25.5	24.7	64
66	26.4	25.5	24.7	23.8	22.1				24.7	23.8	66
68		24.7	23.0	22.1	21.3						
70			22.1	21.3	20.4						
72				20.4	19.6						
组合Code	110	111	211	221	222	110	111	211	221	222	组合Code
倍率n	4	4	4	4	3	5	4	4	4	4	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	150t	150t	150t	150t	150t	150t	150t	150t	150t	150t	吊钩Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 29~51.7m





	48m					
	29m	34.7m	40.3m	46m	51.7m	
26						26
28	86.5					28
30	80.8	78.9				30
32	76.0	73.2	71.3			32
34	71.3	69.4	66.5	64.6		34
36	67.5	65.6	62.7	60.8	58.9	36
38	63.7	61.8	58.9	57.0	55.1	38
40	59.9	58.0	56.1	54.2	52.3	40
42	55.3	55.1	53.2	51.3	49.4	42
44	48.5	51.0	50.4	48.5	47.5	44
46	45.9	44.2	46.8	46.5	44.7	46
48	43.4	42.5	40.8	40.5	40.2	48
50	41.7	40.0	39.1	37.4	37.2	50
52	40.0	38.3	37.4	35.7	34.9	52
54	38.3	36.6	35.7	34.0	33.2	54
56		34.9	34.0	32.3	31.5	56
58			32.3	31.5	30.6	58
60				29.8	28.9	60
组合Code	110	111	211	221	222	组合Code
倍率n	5	5	5	4	4	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	150t	150t	150t	150t	150t	吊钩Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities



T 29~51.7m

     											
	66m					48m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
36	35.6										36
38	33.8	32.7				50.8					38
40	31.5	30.9	29.2			47.8	46.1				40
42	29.8	29.2	27.4	26.8		44.3	43.2	41.4			42
44	28.0	27.4	26.3	25.1	23.9	42.0	40.8	39.1	37.9		44
46	26.8	25.7	24.5	23.9	22.8	39.7	38.5	36.8	35.6	34.4	46
48	25.1	24.5	23.3	22.2	21.6	37.3	36.2	35.0	33.3	32.7	48
50	23.9	23.3	22.2	21.0	20.4	35.0	33.8	32.7	31.5	30.9	50
52	22.8	22.2	21.0	20.4	19.3	30.8	29.7	28.6	27.6	27.0	52
54	20.0	19.5	18.4	17.8	16.8	28.2	27.7	26.6	25.6	24.5	54
56	18.3	17.7	16.7	16.2	15.7	26.6	26.1	25.1	24.0	23.5	56
58	17.7	16.7	16.2	15.7	14.6	25.6	25.1	24.0	23.0	22.4	58
60	16.7	16.2	15.1	14.6	14.1	24.5	23.5	23.0	21.9	21.4	60
62	16.2	15.1	14.6	14.1	13.6	23.0	22.4	21.4	20.9	20.4	62
64	15.1	14.6	14.1	13.1	12.5	21.9	21.4	20.9	19.8	19.3	64
66	14.6	14.1	13.1	12.5	12.0		20.4	19.8	18.8	18.3	66
68	13.6	13.1	12.5	12.0	11.5			18.8	18.3	17.7	68
70	13.1	12.5	12.0	11.5	11.0				17.2	16.7	70
72		12.0	11.5	11.0	10.4						72
74			11.0	10.4	9.6						74
76				9.6	8.9						76
78					8.1						78
组合											组合
Code	110	111	211	221	222	110	111	211	221	222	Code
倍率n	2	2	2	2	2	3	3	3	3	2	倍率n
吊钩重量											吊钩重量
Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	Hook weight
吊钩											吊钩
Hook	55t	55t	55t	55t	55t	55t	55t	55t	55t	55t	Hook
风速											风速
Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	Wind speed

起重性能表


Lifting capacities

T 29~51.7m

     											
	54m					60m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
32	43.2										32
34	40.8	39.1	37.9			39.7					34
36	37.9	36.8	35.6	34.4		36.8	35.6				36
38	36.2	35.0	33.3	32.1	30.9	35.0	33.8	32.1	30.9		38
40	33.8	32.7	31.5	30.3	29.2	32.7	32.1	30.3	29.2	28.6	40
42	32.1	30.9	29.8	28.6	28.0	30.9	30.3	28.6	28.0	26.8	42
44	30.3	29.8	28.6	27.4	26.3	29.2	28.6	27.4	26.3	25.1	44
46	27.0	25.9	24.9	23.8	23.2	28.0	26.8	25.7	25.1	23.9	46
48	24.5	24.0	23.0	21.9	21.4	26.3	25.7	24.5	23.3	22.8	48
50	23.5	22.4	21.9	20.9	20.4	23.2	22.7	21.6	20.5	20.0	50
52	22.4	21.4	20.9	19.8	19.3	21.4	20.9	19.8	18.8	18.3	52
54	21.4	20.4	19.8	18.8	18.3	20.4	19.8	18.8	18.3	17.2	54
56	20.4	19.8	18.8	18.3	17.2	19.3	18.8	17.7	17.2	16.7	56
58	19.3	18.8	17.7	17.2	16.7	18.3	17.7	17.2	16.2	15.7	58
60	18.3	17.7	17.2	16.2	15.7	17.7	17.2	16.2	15.7	15.1	60
62		17.2	16.2	15.7	15.1	16.7	16.2	15.7	14.6	14.1	62
64			15.7	15.1	14.6	16.2	15.7	14.6	14.1	13.6	64
66				14.1	13.6	15.1	14.6	14.1	13.6	13.1	66
							14.1	13.6	13.1	12.5	68
								13.1	12.0	12.0	70
									11.5	11.0	72
组合Code	110	111	211	221	222	110	111	211	221	222	组合Code
倍率n	3	3	3	2	2	3	2	2	2	2	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	55t	55t	55t	55t	55t	55t	55t	55t	55t	55t	吊钩Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起升高度曲线图 Lifting heights


超起+变幅副臂 Super lifting device + luffing jib



起重性能表

Lifting capacities

T 29~51.7m




	48m					
	29m	34.7m	40.3m	46m	51.7m	
64						40
66	48.5					42
68	42.2	41.4				44
70	40.5	37.8	36.8			46
72	37.8	36.1	33.4			48
74	36.1	34.3	31.7	31.3		50
76	34.3	32.6	30.8	28.2	27.6	52
78	31.5	30.8	29.0	27.3	25.5	54
80	30.6	28.9	27.3	25.5	23.8	56
82	28.9	27.2	25.5	24.6	22.9	58
84	27.2	26.4	23.8	23.5	22.0	60
86	26.4	24.7	23.0	21.3	21.1	62
88		23.8	22.1	20.4	19.6	64
90			21.3	19.6	17.9	66
92				18.7	17.0	68
94					16.2	70
96						72
98						74
组合Code	110	111	211	221	222	组合Code
倍率n	3	3	3	2	2	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	55t	55t	55t	55t	55t	吊钩Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 29~51.7m



	54m					60m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
44	43.7										44
46	37.8	37.3				37.1					46
48	36.1	34.3				32.6	32.2				48
50	34.3	32.6	32.3			30.8	29.0	28.5			50
52	32.6	30.8	28.2	27.6		29.9	28.2	25.5	24.8		52
54	30.8	29.0	27.3	25.5	24.8	28.2	26.4	23.8	22.0		54
56	29.9	28.2	25.5	23.8	22.0	26.4	24.6	22.9	21.1	20.9	56
58	27.2	26.4	24.6	22.9	21.1	25.5	23.8	22.0	20.2	18.5	58
60	26.4	24.7	23.8	22.0	20.2	23.8	22.9	20.2	19.4	17.6	60
62	24.7	23.0	22.0	20.2	19.4	22.1	21.1	19.4	17.6	16.7	62
64	23.8	22.1	20.4	19.4	18.5	21.3	19.6	18.5	16.7	15.8	64
66	23.0	21.3	19.6	17.9	16.7	20.4	18.7	17.0	15.8	15.0	66
68	21.3	20.4	18.7	17.0	16.2	19.6	17.9	16.2	14.5	14.1	68
70		19.6	17.9	16.2	15.3	18.7	17.0	15.3	13.6	13.2	70
72			17.0	15.3	14.5	17.0	16.2	14.5	13.6	11.9	72
74				14.5	13.6		15.3	13.6	12.8	11.1	74
76					12.8			12.8	11.9	11.1	76
78									11.1	10.2	78
80										9.4	80
组合Code	110	111	211	221	222	110	111	211	221	222	组合Code
倍率n	3	3	2	2	2	3	2	2	2	2	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	55t	55t	55t	55t	55t	55t	55t	55t	55t	55t	吊钩Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 29~51.7m

29-51.7m 13m×13m 360° 235t 48-84m 70°											
	66m					72m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
50	33.3										50
52	29.0	28.8									52
54	28.2	26.4				28.5					54
56	26.4	24.6	23.8			24.6	24.7				56
58	24.6	22.9	21.1	20.9		23.8	22.0				58
60	23.8	22.0	20.2	18.5	18.1	22.0	20.2	18.5			60
62	22.9	21.1	19.4	17.6	15.8	21.1	19.4	17.6	15.8		62
64	21.1	20.2	17.6	15.8	15.0	20.2	18.5	16.7	15.0	14.3	64
66	20.2	18.5	16.7	15.0	14.1	18.5	17.6	15.8	14.1	12.3	66
68	18.7	17.6	15.8	14.1	13.2	17.6	16.7	15.0	13.2	11.4	68
70	17.9	16.2	15.0	13.2	12.3	16.7	15.8	14.1	12.3	10.6	70
72	17.0	15.3	14.1	13.2	11.4	15.3	15.0	13.2	11.4	9.7	72
74	16.2	14.5	12.8	12.3	10.6	14.5	13.6	12.3	10.6	9.7	74
76	15.3	13.6	12.8	11.1	9.7	13.6	12.8	11.1	9.7	8.8	76
78	14.5	13.6	11.9	10.2	9.4	12.8	11.9	10.2	8.5	7.9	78
80	13.6	12.8	11.1	9.4	8.5	11.9	11.1	9.4	8.5	7.0	80
82		11.9	10.2	9.2	7.7	11.9	10.2	9.4	7.7	6.4	82
84			9.4	8.5	7.2	11.1	10.2	8.5	6.8	5.7	84
86				7.7	6.5	10.2	9.4	7.7	6.4	5.0	86
88					5.8		8.5	6.8	5.7	4.4	88
90								6.4	5.0	3.8	90
92									4.3	3.2	92
94										2.6	94
组合 Code	110	111	211	221	222	110	111	211	221	222	组合 Code
倍率n	2	2	2	2	2	2	2	2	1	1	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩 Hook	55t	55t	55t	55t	55t	55t	55t	55t	55t	55t	吊钩 Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities


T 29~51.7m

29-51.7m 13m×13m 360° 235t 48-84m 70°											
	78m					84m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
56	24.7										56
58	22.0										58
60	20.2	20.0				20.9					60
62	19.4	17.6	17.1			17.6	17.1				62
64	18.5	16.7	15.0	14.3		16.7	15.0	14.3			64
66	17.6	15.8	14.1	12.3	11.4	15.8	14.1	12.3			66
68	15.8	15.0	13.2	11.4	9.7	15.0	13.2	11.4	10.5		68
70	15.0	14.1	12.3	10.6	8.8	14.1	12.3	10.6	8.8	7.6	70
72	14.1	13.2	11.4	9.7	7.9	13.2	11.4	9.7	7.9	7.0	72
74	13.2	12.3	10.6	8.8	7.9	12.3	10.6	8.8	7.0	6.2	74
76	13.2	11.4	9.7	7.9	7.0	11.4	9.7	7.9	7.0	5.3	76
78	11.9	10.6	8.8	7.9	6.2	10.6	9.7	7.9	6.2	4.4	78
80	11.1	9.7	8.8	7.0	5.6	9.4	8.8	7.0	5.3	4.0	80
82	10.2	9.4	7.9	6.2	4.9	8.5	7.7	6.2	4.8	3.2	82
84	9.4	8.5	6.8	5.6	4.2	8.5	6.8	5.1	4.1	2.6	84
86	8.5	7.7	6.0	4.8	3.5	7.7	6.6	4.8	3.4		86
88	8.5	6.8	5.6	4.1	2.8	6.8	5.9	4.2	2.6		88
90	7.7	6.6	4.9	3.5	2.2	6.0	5.1	3.5	2.0		90
92	6.8	5.8	4.3	2.9		5.8	4.5	2.9			92
94		5.1	3.6	2.3		5.1	3.9	2.3			94
96			3.0			4.4	3.3				96
98						3.8	2.6				98
100							2.0				100
组合 Code	110	111	211	221	222	110	111	211	221	222	组合 Code
倍率n	2	2	1	1	1	2	1	1	1	1	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩 Hook	55t	55t	55t	55t	55t	55t	55t	55t	55t	55t	吊钩 Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 29~51.7m




	48m					
	29m	34.7m	40.3m	46m	51.7m	
40						40
42	28.0					42
44	24.3	23.8				44
46	23.2	22.2	21.5			46
48	22.2	21.1	19.5			48
50	21.1	20.0	18.4	18.1		50
52	20.0	18.9	17.3	16.2	15.8	52
54	18.3	17.8	16.8	15.7	14.6	54
56	17.7	16.7	15.7	14.6	13.5	56
58	16.7	15.7	14.6	14.1	13.0	58
60	16.2	15.1	14.1	13.4	12.1	60
62	15.1	14.6	13.1	12.2	11.2	62
64		13.6	12.5	11.3	10.0	64
66			11.9	10.5	9.2	66
68				9.7	8.4	68
70					7.7	70
组合Code	110	111	211	221	222	组合Code
倍率n	3	2	2	2	1	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩Hook	55t	55t	55t	55t	55t	吊钩Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

起重性能表

Lifting capacities

T 29~51.7m

     											
	54m					60m					
	29m	34.7m	40.3m	46m	51.7m	29m	34.7m	40.3m	46m	51.7m	
44	25.1										44
46	22.2	21.8									46
48	21.1	20.0				21.6					48
50	20.0	18.9	18.7			18.9	18.6				50
52	18.9	17.8	16.2	15.8		17.8	16.8	15.8			52
54	17.8	16.8	15.7	14.6	14.1	17.3	15.7	14.6	14.1		54
56	17.3	16.2	14.6	13.5	12.4	16.2	15.1	14.1	12.4		56
58	15.7	15.1	14.1	13.0	11.4	15.1	14.6	13.0	11.7	10.7	58
60	15.1	14.1	13.5	12.1	10.5	14.6	13.5	12.4	10.7	9.0	60
62	14.1	13.6	12.4	11.2	9.6	14.1	13.0	11.6	9.8	8.1	62
64	13.6	12.5	11.5	10.3	8.8	12.5	12.4	10.7	8.9	7.3	64
66	13.1	12.0	10.7	9.1	8.0	12.0	11.3	9.8	8.1	6.6	66
68	12.5	11.5	9.9	8.4	7.0	11.5	10.4	8.7	7.3	5.9	68
70		10.7	9.1	7.6	6.4	10.9	9.6	7.9	6.4	5.2	70
72			8.3	6.9	5.7	10.1	8.8	7.2	5.7	4.6	72
74				6.2	5.1	9.3	8.1	6.5	5.1	3.9	74
76					4.5		7.4	5.9	4.5	3.3	76
78								5.2	3.9	2.8	78
80									3.3	2.2	80
组合 Code	110	111	211	221	222	110	111	211	221	222	组合 Code
倍率n	2	2	2	1	1	2	2	1	1	1	倍率n
吊钩重量 Hook weight	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	5.4t	吊钩重量 Hook weight
吊钩 Hook	55t	55t	55t	55t	55t	55t	55t	55t	55t	55t	吊钩 Hook
风速 Wind speed	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	9m/s	风速 Wind speed

主要技术参数表

Table of main technical parameters

类别 Category	项目 Item	单位 Unit	参数 Parameter	
尺寸参数 Dimensions	外形尺寸 (长×宽×高) Dimensions (length × width × height)	mm	445/95R25 (16.00R25)	21568×3000×4000
	轴距 Wheel base	mm	1600+1600+2700+1600+1600+3150+1600+3250	
	轮距 (前/后) Track (Front/ Rear)	mm	445/95R25(16.00R25)	2590
	前悬/后悬 Front/ Rear overhang	mm	2780/1688	
	前伸/后伸 Front/ Rear extension	mm	0/0	
重量参数 Weight	最大允许总质量 Total vehicle mass in travel configuration	kg	91850	92000
	轴荷 Axle load	一轴 1st axle	kg	8000
		二轴 2nd axle	kg	8000
		三轴 3rd axle	kg	8000
		四轴 4th axle	kg	8000
		五轴 5th axle	kg	12000
		六轴 6th axle	kg	12000
		七轴 7th axle	kg	12000
		八轴 8th axle	kg	12000
		九轴 9th axle	kg	12000
动力参数 Power	发动机型号 Engine model	——	(底盘Chassis) WP15H660E61	(上车Superstructure) OM460LA.E3A/5
	额定功率/转速 Engine rated power/rpm	kW/(r/min)	485/1800	295/1800
	最大净功率/转速 Max. net power/rpm	kW/(r/min)	480/1800	295/1800
	最大输出扭矩/转速 Max. output torque/rpm	N.m/(r/min)	3200/1300	1900/1300
行驶参数 Travel	最高车速 Max. travel speed	km/h	80	
	最低稳定车速 Min. stable travel speed	km/h	2.4	
	最小转弯直径 Min. turning diameter	m	30	
	最小离地间隙 Min. ground clearance	mm	569/ 445/95R25 (悬挂中位状态/ suspensions are partially elevated)	
	接近角 Approach angle	°	14 (16.00R25)	
	离去角 Departure angle	°	17 (16.00R25)	
	制动距离 (制动初速度为30 km/h) Braking distance (at 30 km/h)	m	≤10	
	最大爬坡能力 Max. grade ability	%	60	
	百公里油耗 Fuel consumption per 100 km	L	110	
噪音 Noise	加速行驶机外噪声 Exterior noise level	dB(A)	≤88	
	驾驶员耳旁噪声 Noise level at seated position	dB(A)	≤90	

主要技术参数表

Table of main technical parameters

类别 Category	项目 Item		单位 Unit	参数 Parameter	
主要性能参数 Main performance	最大额定总起重量 Max. total rated lifting capacity		t	1600	
	最小额定工作幅度 Min. rated working radius		m	2	
	转台尾部回转半径 Turning radius at turntable tail		mm	6660	
	最大起重力矩 Max. load moment	基本臂 Base boom	kN.m	31360	
		最长主臂 Fully-extended boom	kN.m	24634	
		最长主臂+副臂 Fully-extended boom + Jib	kN.m	21560	
	支腿跨距 Outrigger span	纵向 Longitudinal	m	13	
		横向 Lateral	m	13	
	起升高度 Hoist height	基本臂 Base boom	m	18	
		最长主臂 Fully-extended boom	m	92	
		最长主臂+副臂 Fully-extended boom + Jib	m	138/155	
	起重臂长度 Boom length	基本臂 Base boom	m	18.4	
		最长主臂 Fully-extended boom	m	92.4	
		最长主臂+副臂 Fully-extended boom + Jib	m	138.4/156	
工作速度参数 Working speed	起重臂起臂时间 Boom raising time		s	≤240	
	起重臂全伸时间 Boom fully extending time		s	≤3000	
	最大回转速度 Max. slewing speed		r/min	0.5	
	支腿收放时间 Outrigger extending and retracting time	水平支腿 Outrigger beam	收 Retracting	s	≤40
			放 Extending	s	≤40
		垂直支腿 Outrigger jack	收 Retracting	s	≤240
			放 Extending	s	≤240
	起升速度（单绳,第10层,空载） Hoisting speed (single line, 10th layer, no load)	主起升机构 Main winch		m/min	≥125
起升速度（单绳、第8层、空载） Hoisting speed (single line, 8th layer, no load)	变幅起升机构 Luffing winch system		m/min	≥110	
噪声 Noise	机外辐射 Exterior noise level		dB (A)	≤124	
	司机位置处 Noise level at seated position		dB (A)	≤90	

符号标识

Description of symbols

	上车 Superstructure		底盘 Chassis
	起重能力 Lifting capacity		车桥 Axle
	吊臂长度 Boom length		行驶速度 Driving speed
	工作幅度 Radius		爬坡能力 Grade ability
	吊臂仰角 Boom angle		轮胎 Tires
	主臂起升高度 Hoist height with boom		支腿 Outriggers
	固定副臂长度 Fixed jib length		吊钩 Hook block
	副臂安装角 Jib offset angle		平衡重 Counterweight
	副臂起升高度 Hoist height with jib		卷扬 Winch
	独立臂头或风电臂 Independent jib head /Wind power jib		360°全回转 360° operation of the boom
	变幅副臂 Luffing jib		超起 Super lifting device

注意事项

Notes

1. 本手册仅供参考，所有信息均仅供说明，不应依赖它去操作起重机，起重机的正确操作说明请参见操作手册和额定起重量手册
2. 表中所列起重量单位均为公吨（t），是当前臂长及幅度下，起重机在稳固、水平表面上能够保证的最大总起重量，包括吊钩和吊具的重量，吊重时必须减去上述装置的重量。
3. 表中的工作幅度为起吊重物离地时起重物到起重机回转轴线的水平距离。
4. 应按主臂仰角范围作业，即使是空载，也不应使主臂仰角处于范围外。
5. 只允许在5级（瞬时风速14.1m/s，风压125N/m²）风以下进行作业。

1. The manual is intended as reference only. See Operation Manual and Rated Lifting Capacity Manual for correct operation instructions.
2. The total rated loads given in the rated load charts are the maximum lifting capacity (in tonne) under corresponding boom length and radius when the crane is set up on firm and level ground, which includes the weight of the hook block and slings. The weight of above-mentioned devices should be deducted from the rated lifting load.
3. The working radius shown in the rated load charts is the horizontal distance between the load and slewing axis of crane when the load is lifted off the ground.
4. Observe the boom angle limit. Never operate the crane with the boom angle beyond the recommended limit even if a load is not being carried.
3. A lifting operation is permissible only when the wind force is below grade 5 (instantaneous wind speed is 14.1 m/s, wind pressure is 125 N/m²).



地址: 江苏省徐州经济技术开发区高新路68号

Add: No. 68, Gaoxin Road, Economic and Technological
Development Zone, Xuzhou, Jiangsu, China

电话(Tel): +86-516-83462242/83462350

质量监督电话(Quality Inquiry Tel): +86-516-87888268

备件电话(Spare Parts Tel): +86-516-83461542

邮编(Post Code): 221004

网址(Web): www.xcmg.com/qizhongji

服务热线 Service Tel

400-110-9999

400-001-5678



本印刷品不属于合同。出于产品不断改进的需要，我们保留对产品型号、参数、配置进行变更的权利，恕不另行通知。图片仅供参考，具体产品以实物为准。图片中产品可能并非标准配置，部分部件可能需要另行购置。办理牌照和上路行驶需遵守当地法规。

This print does not belong to the contract. We reserve the right to modify the design (such as product model, parameters and configuration) without notice for improvement. The pictures are just for reference. The product in the picture may not be standard configuration. Some parts need to be purchased separately. Conform to the local laws for license application and road traveling.

XCMG—XCA1600